

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	12-06-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	12-06-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Housing & Urban Affairs (mohua)
Department Name/विभाग का नाम	Ministry Of Housing And Urban Affairs
Organisation Name/संगठन का नाम	Delhi Metro Rail Corporation Limited
Office Name/कार्यालय का नाम	Delhi Metro Rail Corporation Limited
Total Quantity/कुल मात्रा	5479
Item Category/मद केटेगरी	OH KIT FOR AUTO DRAIN VALVE , OH KIT FOR SINGLE HOSE PROTECTION VALVE , OH kit for leveling valve Left and right , OH kit for Horn magnet valve , OH kit for single port relay valve , OH Kit for brake valve isolator , OH kit for pressure regulator 5 bar , OH Kit for EP Valve , KIT FOR AIR FILTER , TIMER PCB ASSEMBLY RS2 AGTU , Pressure switch 110V DC RS2 , DRIPCUP WITH AUTO DRAIN VALVE , OH KIT FOR CRV 65 COMPRESSOR , OH kit for single hose protection valve , OH kit for cut out cock , 2 PS MANIFOLD ASSEMBLY KIT RS2 , 3 PS MANIFOLD ASSEMBLY KIT RS2 , AS MANIFOLD ASSEMBLY KIT RS2 , EP GROUP MANIFOLD ASSEMBLY KIT RS2 , TRANSDUCER MANIFOLD ASSEMBLY KIT RS2 , BRAKE PIPE PRESSURE TRANSDUCER TCG , BRAKE PIPE PRESSURE TRANSDUCERn TCG , KIT FOR OIL SEPARATOR , Pressure switch of air drier Pneumatic , Oil Level Indicator of AGTU for RS2 , Flexible pipe-Suction SALOON HVAC RS11 , Suspension Assembly of Pantograph RS2 , Damper Assembly-Pantograph , Lower Arm End Stop DORAZ 3- Pantograph , Upper Arm End Stop Rubber Stop Pantogra , INTERMEDIATE PNEUMATIC PIPE , Brush for Door Hanging Device RS10 , EMERGENCY ACCESS DEVICE EAD RS10
BOQ Title/बीओक्यू शीर्षक	Procurement of RS spares FT
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC), OEM Authorization Certificate, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	OH KIT FOR AUTO DRAIN VALVE
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	14735453.38
Evaluation Method/मूल्यांकन पद्धति	Group wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Preference to Make In India products (For bids > 200 Crore) (can also be used in Bids < 200 Crore but only after exemption by competent authority as defined in Deptt of Expenditure OM dated 28.5.2020): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Consignee/Reporting Officer	Consignee Address	Quantity
Schedule 1	730656	Oh Kit For Auto Drain Valve	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	58
		Oh Kit For Auto Drain Valve	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	14
		Oh Kit For Single Hose Protection Valve	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	83

Schedule 2	5379 12.44	Oh Kit For Single Hose Protection Valve	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	41
		Oh Kit For Single Hose Protection Valve	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	54
Schedule 3	8243 92.84	Oh Kit For Leveling Valve Left And Right	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	22 6
		Oh Kit For Leveling Valve Left And Right	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	45
Schedule 4	3503 32.56	Oh Kit For Horn Magnet Valve	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	23
		Oh Kit For Horn Magnet Valve	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	4
Schedule 5	5221 44.12	Oh Kit For Single Port Relay Valve	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	24
		Oh Kit For Single Port Relay Valve	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	7
		Oh Kit For Single Port Relay Valve	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	3
Schedule 6	1513 20.84	Oh Kit For Brake Valve Isolator	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	24
		Oh Kit For Brake Valve Isolator	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	9
Schedule 7	3233 43.60	Oh Kit For Pressure Regulator 5 Bar	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	19
		Oh Kit For Pressure Regulator 5 Bar	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	12
		Oh Kit For Pressure Regulator 5 Bar	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	29
Schedule 8	1932 37.98	Oh Kit For Ep Valve	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	26 1
		Oh Kit For Ep Valve	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	8
		Oh Kit For Ep Valve	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	23 8

Schedule 9	2113 84.02	Kit For Air Filter	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	28 3
Schedule 10	7451 40.50	Timer Pcb Assembly Rs2 Agtu	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	67
Schedule 11	3228 85.27	Pressure Switch 110v Dc Rs2	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	2
		Pressure Switch 110v Dc Rs2	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	21
Schedule 12	1940 48.64	Dripcup With Auto Drain Valve	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	2
		Dripcup With Auto Drain Valve	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	2
Schedule 13	2115 421.4 0	Oh Kit For Crv 65 Compressor	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	23
		Oh Kit For Crv 65 Compressor	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	8
Schedule 14	1261 12.50	Oh Kit For Single Hose Protection Valve	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	18
		Oh Kit For Single Hose Protection Valve	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	27
Schedule 15	3543 12.63	Oh Kit For Cut Out Cock	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	81
Schedule 16	1511 99.30	2 Ps Manifold Assembly Kit Rs2	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	38 3
		2 Ps Manifold Assembly Kit Rs2	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	13 5
		2 Ps Manifold Assembly Kit Rs2	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	5
Schedule 17	1937 81.96	3 Ps Manifold Assembly Kit Rs2	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	38 3
		3 Ps Manifold Assembly Kit Rs2	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	13 5
		3 Ps Manifold Assembly Kit Rs2	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	5

Schedule 18	2178 50.42	As Manifold Assembly Kit Rs2	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	38 3
		As Manifold Assembly Kit Rs2	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	13 5
		As Manifold Assembly Kit Rs2	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	5
Schedule 19	2110 61.88	Ep Group Manifold Assembly Kit Rs2	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	38 3
		Ep Group Manifold Assembly Kit Rs2	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	13 5
		Ep Group Manifold Assembly Kit Rs2	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	5
Schedule 20	2116 63.68	Transducer Manifold Assembly Kit Rs2	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	38 3
		Transducer Manifold Assembly Kit Rs2	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	50 0
		Transducer Manifold Assembly Kit Rs2	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	5
Schedule 21	2041 90.74	Brake Pipe Pressure Transducer Tcg	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	5
		Brake Pipe Pressure Transducern Tcg	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	7
		Brake Pipe Pressure Transducer Tcg	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	1
Schedule 22	2758 89.90	Kit For Oil Separator	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	35
		Kit For Oil Separator	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	12
		Kit For Oil Separator	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	8

Schedule 23	4214 47.62	Pressure Switch Of Air Drier Pneumatic	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	30
		Pressure Switch Of Air Drier Pneumatic	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	3
Schedule 24	1750 353	Oil Level Indicator Of Agtu For Rs2	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	10 2
		Oil Level Indicator Of Agtu For Rs2	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	54
		Oil Level Indicator Of Agtu For Rs2	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	9
Schedule 25	4605 06.80	Flexible Pipe- suction Saloon Hvac Rs11	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	47
		Flexible Pipe- suction Saloon Hvac Rs11	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	18
Schedule 26	9829 37.64	Suspension Assembly Of Pantograph Rs2	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	10
		Suspension Assembly Of Pantograph Rs2	Kuldeep	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	5
		Suspension Assembly Of Pantograph Rs2	Praveen Sharma	NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B 121001	4
Schedule 27	9530 62.40	Damper Assembly- pantograph	Kuldeep	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	32
Schedule 28	2822 49.75	Lower Arm End Stop Doraz 3- pantograph	Pawan Kumar Bargoda	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	9
		Lower Arm End Stop Doraz 3- pantograph	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	91
		Lower Arm End Stop Doraz 3- pantograph	Ravi Kumar	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	45
Schedule 29	1069 23.65	Upper Arm End Stop Rubber Stop Pantogra	Pawan Kumar Bargoda	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	18
		Upper Arm End Stop Rubber Stop Pantogra	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	92
		Upper Arm End Stop Rubber Stop Pantogra	Ravi Kumar	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	45

Schedule 30	2187 28.16	Intermediate Pneumatic Pipe	Pranshul Kumar Srivastava	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	2
		Intermediate Pneumatic Pipe	Gitanshu Arora	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	2
		Intermediate Pneumatic Pipe	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	3
Schedule 31	1471 93.20	Brush For Door Hanging Device Rs10	Pratyush Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	81
Schedule 32	2437 67.94	Emergency Access Device Ead Rs10	Kumud Upadhyay	DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE 110092	4
		Emergency Access Device Ead Rs10	Ravi Kumar	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	7
		Emergency Access Device Ead Rs10	Pratyush Kumar	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	2

OH KIT FOR AUTO DRAIN VALVE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	58	120

OH KIT FOR AUTO DRAIN VALVE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	14	120

OH KIT FOR SINGLE HOSE PROTECTION VALVE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	83	120

OH KIT FOR SINGLE HOSE PROTECTION VALVE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	41	120

OH KIT FOR SINGLE HOSE PROTECTION VALVE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	54	120

OH Kit For Leveling Valve Left And Right

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	226	120

OH Kit For Leveling Valve Left And Right

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	45	120

OH Kit For Horn Magnet Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	23	120

OH Kit For Horn Magnet Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	4	120

OH Kit For Single Port Relay Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	24	120

OH Kit For Single Port Relay Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	7	120

OH Kit For Single Port Relay Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	3	120

OH Kit For Brake Valve Isolator

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	24	120

OH Kit For Brake Valve Isolator

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	9	120

OH Kit For Pressure Regulator 5 Bar

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	19	120

OH Kit For Pressure Regulator 5 Bar

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	12	120

OH Kit For Pressure Regulator 5 Bar

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	29	120

OH Kit For EP Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	261	120

OH Kit For EP Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	8	120

OH Kit For EP Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	238	120

KIT FOR AIR FILTER

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	283	120

TIMER PCB ASSEMBLY RS2 AGTU

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	67	120

Pressure Switch 110V DC RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	2	120

Pressure Switch 110V DC RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	21	120

DRIPCUP WITH AUTO DRAIN VALVE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	2	120

DRIPCUP WITH AUTO DRAIN VALVE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	2	120

OH KIT FOR CRV 65 COMPRESSOR

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	23	120

OH KIT FOR CRV 65 COMPRESSOR

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	8	120

OH Kit For Single Hose Protection Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	18	120

OH Kit For Single Hose Protection Valve

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	27	120

OH Kit For Cut Out Cock

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	81	120

2 PS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	383	120

2 PS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	135	120

2 PS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	5	120

3 PS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	383	120

3 PS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	135	120

3 PS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	5	120

AS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	383	120

AS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	135	120

AS MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	5	120

EP GROUP MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	383	120

EP GROUP MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	135	120

EP GROUP MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	5	120

TRANSDUCER MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	383	120

TRANSDUCER MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	500	120

TRANSDUCER MANIFOLD ASSEMBLY KIT RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	5	120

BRAKE PIPE PRESSURE TRANSDUCER TCG

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	5	120

BRAKE PIPE PRESSURE TRANSDUCERn TCG

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	7	120

BRAKE PIPE PRESSURE TRANSDUCER TCG

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	1	120

KIT FOR OIL SEPARATOR

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	35	120

KIT FOR OIL SEPARATOR

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	12	120

KIT FOR OIL SEPARATOR

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	8	120

Pressure Switch Of Air Drier Pneumatic

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	30	120

Pressure Switch Of Air Drier Pneumatic

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	3	120

Oil Level Indicator Of AGTU For RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	102	120

Oil Level Indicator Of AGTU For RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	54	120

Oil Level Indicator Of AGTU For RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	9	120

Flexible Pipe-Suction SALOON HVAC RS11

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	47	120

Flexible Pipe-Suction SALOON HVAC RS11

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	18	120

Suspension Assembly Of Pantograph RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	10	120

Suspension Assembly Of Pantograph RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kuldeep	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	5	120

Suspension Assembly Of Pantograph RS2

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Praveen Sharma	121001,NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B	4	120

Damper Assembly-Pantograph

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kuldeep	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	32	120

Lower Arm End Stop DORAZ 3-Pantograph

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pawan Kumar Bargoda	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	9	120

Lower Arm End Stop DORAZ 3-Pantograph

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	91	120

Lower Arm End Stop DORAZ 3-Pantograph

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Kumar	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	45	120

Upper Arm End Stop Rubber Stop Pantogra

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pawan Kumar Bargoda	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	18	120

Upper Arm End Stop Rubber Stop Pantogra

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092, DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING, E&M STORE	92	120

Upper Arm End Stop Rubber Stop Pantogra

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Kumar	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	45	120

INTERMEDIATE PNEUMATIC PIPE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pranshul Kumar Srivastava	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	2	120

INTERMEDIATE PNEUMATIC PIPE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gitanshu Arora	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	2	120

INTERMEDIATE PNEUMATIC PIPE

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	3	120

Brush For Door Hanging Device RS10

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pratyush Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	81	120

EMERGENCY ACCESS DEVICE EAD RS10

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kumud Upadhyay	110092,DELHI METRO RAIL CORPORATION LIMITED, YAMUNA BANK DEPOT, ETU BUILDING,E&M STORE	4	120

EMERGENCY ACCESS DEVICE EAD RS10

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Kumar	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	7	120

EMERGENCY ACCESS DEVICE EAD RS10

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pratyush Kumar	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	2	120

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Items required are of specific make i.e. M/s Faiveley. Only OEM and their authorized channel partner are eligible to quote, in case offer shall be submitted by the authorized channel partner bid specific OEM authorization Certificate must be submitted failing which offer shall be summarily rejected.

2. If authorized channel partner is participating in the bid OEM warranty certificate should necessarily be provided at the time of supply.

3. Item should be as per the details mentioned in the specification document. Any firm deviating from the details in specification documents would be summarily rejected.

4. Bidder has to mention the warranty terms clearly in their offer. Required Standard warranty term "18 months from the date of supply OR 12 months from the date of installation/commissioning whichever is earlier".

5. The bidder must upload a certificate from the OEM regarding the percentage of local content. Self-declaration of Local Content by the bidder will not be entertained.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.

12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---