

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	03-06-2024 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	03-06-2024 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	Ntpc Limited
Office Name/कार्यालय का नाम	Cpg 03 Ntpc Simhadri
Total Quantity/कुल मात्रा	337
Item Category/मद केटेगरी	Revolving Chair (V3) (Q2) , Chair Office (V2) (Q3) , Executive Table (V2) (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC), OEM Authorization Certificate, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Revolving Chair (V3)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**Details of the Competent Authority for MSE**

Name of Competent Authority	AGM
Designation of Competent Authority	AGM
Office / Department / Division of Competent Authority	AGM
CA Approval Number	AGM
Competent Authority Approval Date	18-05-2024
Brief Description of the Approval Granted by Competent Authority	As per company policy, being ST PAC case MSE is not applicable

Competent Authority Approval for not opting Micro and Small Enterprises Preference : [View Document](#)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**Details of the Competent Authority for MII**

Name of Competent Authority	AGM
Designation of Competent Authority	AGM
Office / Department / Division of Competent Authority	AGM
CA Approval Number	AGM
Competent Authority Approval Date	18-05-2024

Brief Description of the Approval Granted by Competent Authority

As per company policy, being ST PAC case MII is not applicable

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

#### Evaluation Method ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Revolving Chair (v3)	120
Schedule 2	Chair Office (v2)	50
Schedule 3	Revolving Chair (v3)	2
Schedule 4	Executive Table (v2)	15
Schedule 5	Executive Table (v2)	15
Schedule 6	Executive Table (v2)	5
Schedule 7	Chair Office (v2)	30
Schedule 8	Chair Office (v2)	100

#### Revolving Chair (V3) ( 120 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Tilt mechanism</b>	Swivel tilt mechanism
	<b>Locking mechanism</b>	Upright locking
	<b>Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation</b>	Fixed
	<b>Backrest type</b>	Tilting type

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL AND MATERIAL THICKNESS	<b>Pedestal Base</b>	Nylon
	<b>Armrest Material</b>	PU molded over metal insert
	<b>Minimum density of foam used in seat</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in seat</b>	30 mm
	<b>Seat upholstery material</b>	100 % Polyester fabric
	<b>Backrest base frame material</b>	Hot pressed plywood
	<b>Padding at backrest</b>	PU foam
	<b>The minimum density of foam used in the backrest</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in backrest</b>	30 mm
	<b>Backrest upholstery material</b>	100 % Polyester fabric
	<b>Upholstery material thickness /fabric substance used in seat /backrest</b>	Minimum 200 GSM (for Woven fabric)
DIMENSION	<b>Minimum width of seat</b>	500 mm
	<b>Minimum depth of seat</b>	450 mm
	<b>Minimum width of backrest</b>	450 mm
	<b>Backrest height</b>	Mid back (451 to 550 mm)
	<b>Minimum thickness of MS Plate Joining the understructure with Seat</b>	2 mm
	<b>Minimum pedestal size (diameter)</b>	650 mm
COLOUR AND FINISH	<b>Upholstered material seat color</b>	Black
	<b>Upholstered material backrest color</b>	Black

**Consignees/Reporting Officer/परेषित/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anirudh Prasad Jaiswal	813214,AGM(Stores) Kahalgaon Super Thermal Power Project P.O: Kahalgaon STP Bhagalpur Bihar-813214 India GST NO 10AAACN0255D2ZC	120	56

### Chair Office (V2) ( 50 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Moulded T armrest fitted with seat bottom
	Seat type	Padded
	Backrest type	Padded
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	40 mm
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45
	Seat upholstered with	Fabric
	GSM of seat cover (± 3 GSM)	220 GSM
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Density of Polyurethane foam used in Backrest ( ±2 Kg/Cub Meter)	45
	Backrest upholstered with	Fabric
DIMENSION	Seat Depth (± 5 mm)	470 mm
	Seat Width (± 5 mm)	500 mm
	Seat height from floor surface (± 5 mm)	455 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest width (± 5 mm)	490 mm
	Backrest height from seat (± 5 mm)	480 mm
COLOUR AND FINISH	Paint Type	Epoxy
	Polish Type	N.A
	Colour of Paint	Black
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	Yes
	Test reports to be furnished to buyer on demand	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anirudh Prasad Jaiswal	813214,AGM(Stores) Kahalgaon Super Thermal Power Project P.O: Kahalgaon STP Bhagalpur Bihar-813214 India GST NO 10AAACN0255D2ZC	50	56

**Revolving Chair (V3) ( 2 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation</b>	Adjustable (up and down)
	<b>Backrest type</b>	Tilting type
MATERIAL AND MATERIAL THICKNESS	<b>Pedestal Base</b>	Aluminium die Cast
	<b>Armrest Material</b>	PU molded over metal insert
	<b>Minimum density of foam used in seat</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in seat</b>	30 mm
	<b>Seat upholstery material</b>	Leatherette
	<b>Backrest base frame material</b>	Hot pressed plywood
	<b>Padding at backrest</b>	PU foam
	<b>The minimum density of foam used in the backrest</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in backrest</b>	30 mm
	<b>Backrest upholstery material</b>	Leatherette
	<b>Upholstery material thickness /fabric substance used in seat /backrest</b>	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	<b>Minimum width of seat</b>	450 mm
	<b>Minimum depth of seat</b>	450 mm
	<b>Minimum width of backrest</b>	450 mm
	<b>Backrest height</b>	High back (551 and above)
	<b>Minimum thickness of MS Plate Joining the understructure with Seat</b>	2 mm
	<b>Minimum pedestal size (diameter)</b>	650 mm
COLOUR AND FINISH	<b>Upholstered material seat color</b>	Black
	<b>Upholstered material backrest color</b>	Black

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anirudh Prasad Jaiswal	813214,AGM(Stores) Kahalgaon Super Thermal Power Project P.O: Kahalgaon STP Bhagalpur Bihar-813214 India GST NO 10AAACN0255D2ZC	2	56

**Executive Table (V2) ( 15 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure /Frame of table</b>	Two legs with modesty panel
	<b>The type of Storage provided</b>	One side pedestal unit
	<b>Keyboard tray</b>	Not provided
	<b>Footrest</b>	Not Provided
MATERIAL	<b>Tabletop Material</b>	Prelaminated MDF board
	<b>Thickness of table top material (± 1 mm)</b>	25 mm
	<b>Gable end material</b>	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the gable end</b>	25 mm
	<b>Modesty panel material</b>	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the modesty panel material</b>	25 mm
	<b>Leg Material</b>	NA
	<b>The thickness of the Leg material</b>	NA
DIMENSION	<b>Width of tabletop ±10 mm</b>	1650 mm
	<b>Depth of table ±10 mm</b>	900 mm



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of table $\pm 10$ mm	750 mm
	Size (L x W) /diameter of leg material $\pm 5$ mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anirudh Prasad Jaiswal	813214,AGM(Stores) Kahalgaoon Super Thermal Power Project P.O: Kahalgaoon STP Bhagalpur Bihar-813214 India GST NO 10AAACN0255D2ZC	15	56

**Executive Table (V2) ( 15 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Two legs with modesty panel
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material ( $\pm 1$ mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop $\pm 10$ mm	1800 mm
	Depth of table $\pm 10$ mm	915 mm
	Height of table $\pm 10$ mm	750 mm
	Size (L x W) /diameter of leg material $\pm 5$ mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anirudh Prasad Jaiswal	813214,AGM(Stores) Kahalgaon Super Thermal Power Project P.O: Kahalgaon STP Bhagalpur Bihar-813214 India GST NO 10AAACN0255D2ZC	15	56

**Executive Table (V2) ( 5 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Two legs with modesty panel
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the gable end	NA
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the modesty panel material	18 mm
	Leg Material	Mild Steel (MS) ERW
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	2400 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of table ±10 mm	915 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	25 mm
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Minimum 0.8 to 1 mm PVC membrane finish
	Tabletop shade	Natural Shade
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anirudh Prasad Jaiswal	813214,AGM(Stores) Kahalgaon Super Thermal Power Project P.O: Kahalgaon STP Bhagalpur Bihar-813214 India GST NO 10AAACN0255D2ZC	5	56

**Chair Office (V2) ( 30 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Continuous armrest
	Seat type	Padded
	Backrest type	Padded
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	20 mm
	Density of Polyurethane foam used in seat ( $\pm 2$ Kg/Cub Meter)	N.A
	Seat upholstered with	N.A
	GSM of seat cover ( $\pm 3$ GSM)	390 GSM
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Density of Polyurethane foam used in Backrest ( $\pm 2$ Kg/Cub Meter)	N.A
	Backrest upholstered with	Leatherette
DIMENSION	Seat Depth ( $\pm 5$ mm)	390 mm
	Seat Width ( $\pm 5$ mm)	460 mm
	Seat height from floor surface ( $\pm 5$ mm)	475 mm
	Backrest width ( $\pm 5$ mm)	450 mm
	Backrest height from seat ( $\pm 5$ mm)	300 mm
COLOUR AND FINISH	Paint Type	Epoxy
	Polish Type	N.A
	Colour of Paint	Black
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	Yes
	Test reports to be furnished to buyer on demand	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anirudh Prasad Jaiswal	813214,AGM(Stores) Kahalgaon Super Thermal Power Project P.O: Kahalgaon STP Bhagalpur Bihar-813214 India GST NO 10AAACN0255D2ZC	30	56

**Chair Office (V2) ( 100 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Continuous armrest
	Seat type	Caned
	Backrest type	Caned
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
SEAT FABRICATION	Seat material	Polyethylene cane Confmg. to IS 5378-1994 (with latest amendment) with wooden frame
	Seat material thickness	20 mm
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	N.A
	Seat upholstered with	N.A
	GSM of seat cover (± 3 GSM)	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
BACKREST FABRICATION	Backrest material	Polythene cane Confmg. to IS 5378-1994 (with latest amendment) with wooden frame
	Density of Polyurethane foam used in Backrest ( ±2 Kg/Cub Meter)	N.A
	Backrest upholstered with	N.A
DIMENSION	Seat Depth ( ± 5 mm)	410 mm
	Seat Width ( ± 5 mm)	460 mm
	Seat height from floor surface ( ± 5 mm)	455 mm
	Backrest width ( ± 5 mm)	450 mm
	Backrest height from seat ( ± 5 mm)	380 mm
COLOUR AND FINISH	Paint Type	Epoxy
	Polish Type	N.A
	Colour of Paint	Black
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	Yes
	Test reports to be furnished to buyer on demand	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anirudh Prasad Jaiswal	813214,AGM(Stores) Kahalgaoon Super Thermal Power Project P.O: Kahalgaoon STP Bhagalpur Bihar-813214 India GST NO 10AAACN0255D2ZC	100	56

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

### 3. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

### 4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1.All other terms and conditions as per standardization agreement and rate contract for purchase of furniture & office equipment's of M/s Godrej & Boyce Mfg .co. Ltd. dt:23.03.2023

2.Warranty: All items supplied shall be covered under warranty against any manufacturing defects for a period of 12 (Twelve) months from the date of supply.

3.Payment terms: 100% payment to be made with in 30 days of supply of items at delivery site and submission of relevant documents of payment. However, in case of site not ready (SNR) situation ,NTPC will release 90% of the payment on delivery after waiting period of 14 days and balance 10% on final installation and acceptance of materials.

4. The offer submitted by **M/s. Godrej & Boyce Mfg Co Ltd** shall only be accepted. However, the offers received from the authorized agency of M/s. Godrej & Boyce Mfg Co Ltd shall also be accepted provided tender specific authorization of M/s. Godrej & Boyce Mfg Co Ltd is uploaded by dealer along with their offer in GE M.

The bids of all other vendors who do not upload tender specific authorization of M/s. Godrej & Boyce Mfg Co Ltd shall be invariably rejected.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of



bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**