

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	03-06-2024 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	03-06-2024 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Coal
Department Name/विभाग का नाम	Coal India Limited
Organisation Name/संगठन का नाम	Mahanadi Coalfields Limited
Office Name/कार्यालय का नाम	Mcl Sambalpur Odisha
Total Quantity/कुल मात्रा	12
Item Category/मद केटेगरी	Insulation Tester (Q3) , Digital Multimeter as per IS 9000 (Q3) , true rms clamp meter (Q3)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
ITC available to buyer/क्रिता के लिए उपलब्ध आईटीसी	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Insulation Tester

Bid Details/बिड विवरण	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	7 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	308091
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any

Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	25894	Insulation Tester	2
Schedule 2	22000	Insulation Tester	2
Schedule 3	45000	Insulation Tester	2
Schedule 4	92228	Digital Multimeter As Per Is 9000	4
Schedule 5	40969	Digital Multimeter As Per Is 9000	1
Schedule 6	82000	True Rms Clamp Meter	1

Insulation Tester (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
PERFORMANCE	Type	Hand Held
	Measurement Range	0.01 M Ohm to 10 G Ohm
	Measurement Accuracy	2.0 (percent)
	Measurement Resolution	0.1 (megaOhm)
	Test Voltage	500.0 (Volt)
	Test Current	1.0 (milliAmpère)
SAFETY	Safety rating	Category III 600 V of IEC 61010
POWER REQUIREMENT	Power Requirements	Battery Operated
WARRANTY	Warranty	1.0 (year)
OPERATING CONDITION	Minimum Operating Temperature	0.0 (degree Celsius)
	Maximum Operating Temperature	50.0 (degree Celsius)
	Operating Humidity (RH)	80.0 (percent)
TEST REPORT DETAILS	The equipment supplied with calibration certificate	YES
	conformity to Dry Heat for 16 hrs at a specified maximum temp	Yes
	conformity to Cold Test for 4 hrs at a specified minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	Yes
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 hours each at a temp of 40 degree C & 95% RH	Yes
	Availability of Test Reports from Central Govt/NABL/ILAC approved accredited lab to prove conformity to the specification	Yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nikhil Vikram	768211,GM OFFICE CWS(X), IB-VALLEY, AT/PO: BANDHABAHAL DIST: JHARSUGUDA	2	90

Insulation Tester (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
PERFORMANCE	Type	Hand Held
	Measurement Range	0.01 M Ohm to 10 G Ohm
	Measurement Accuracy	2.0 (percent)
	Measurement Resolution	1.0 (megaOhm)
	Test Voltage	1000.0 (Volt)
	Test Current	2.0 (milliAmpère)
OTHER MEASUREMENT	AC/DC Voltage Measurement (Volt)	600
	AC/DC Voltage Measurement Resolution (Volts)	0.1
	AC/DC Voltage Measurement Accuracy (%)	2.0
SAFETY	Safety rating	Category III 1000 V of IEC 61010
POWER REQUIREMENT	Power Requirements	Hand Driven
	Type of Battery	Non- Rechargeable (Alkaline)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of non- rechargeable the battery / cell	4
WARRANTY	Warranty	1.0 (year)
OPERATING CONDITION	Minimum Operating Temperature	-20.0 (degree Celsius)
	Maximum Operating Temperature	60.0 (degree Celsius)
	Operating Humidity (RH)	90.0 (percent)
TEST REPORT DETAILS	The equipment supplied with calibration certificate	YES
	conformity to Dry Heat for 16 hrs at a specified maximum temp	Yes
	conformity to Cold Test for 4 hrs at a specified minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	Yes
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 hours each at a temp of 40 degree C & 95% RH	Yes
	Availability of Test Reports from Central Govt/NABL/ILAC approved accredited lab to prove conformity to the specification	Yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nikhil Vikram	768211,GM OFFICE CWS(X), IB-VALLEY, AT/PO: BANDHABAHAL DIST: JHARSUGUDA	2	90

Insulation Tester (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
PERFORMANCE	Type	Hand Held
	Measurement Range	200 K Ohm to 1 T Ohm
	Measurement Accuracy	2.0 (percent)
	Measurement Resolution	0.1 (megaOhm)
	Test Voltage	5000.0 (Volt)
	Test Current	2.0 (milliAmpère)
FEATURES	Pass Fail Function	Yes
SAFETY	Safety rating	Category III 1000 V of IEC 61010
POWER REQUIREMENT	Power Requirements	Hand Driven
WARRANTY	Warranty	1.0 (year)
OPERATING CONDITION	Minimum Operating Temperature	-20.0 (degree Celsius)
	Maximum Operating Temperature	60.0 (degree Celsius)
	Operating Humidity (RH)	80.0 (percent)
TEST REPORT DETAILS	The equipment supplied with calibration certificate	YES
	conformity to Dry Heat for 16 hrs at a specified maximum temp	Yes
	conformity to Cold Test for 4 hrs at a specified minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 hours each at a temp of 40 degree C & 95% RH	Yes
	Availability of Test Reports from Central Govt/NABL/ILAC approved accredited lab to prove conformity to the specification	Yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nikhil Vikram	768211,GM OFFICE CWS(X), IB-VALLEY, AT/PO: BANDHABAHAL DIST: JHARSUGUDA	2	90

Digital Multimeter As Per IS 9000 (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MEASUREMENTS	DC Voltage Range	600.0 (Volt)
	DC Voltage Accuracy	0.5 (percent)
	DC Voltage resolution	100.0 (milliVolt)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	AC Voltage Range	600.0 (Volt)
	AC Voltage Accuracy	1.0 (percent)
	AC Voltage resolution	100.0 (milliVolt)
	DC Current Range	10.0 (Ampère)
	DC Current Accuracy	1.0 (percent)
	DC Current resolution	10.0 (milliAmpère)
	AC Current Range	10.0 (Ampère)
	AC Current Accuracy	1.5 (percent)
	AC Current resolution	10.0 (milliAmpère)
	Resistance Range	40.0 (megaOhm)
	Resistance Accuracy	3.5 (percent)
	Resistance resolution	0.01 (Ohm)
	Capacitance Range (Micro farad)	.01 to 1000
	Capacitance Accuracy (%)	1.5
	Capacitance resolution (nF)	0.1
	Frequency Range (KHz)	50
	Frequency Accuracy (%)	0.1
	Frequency resolution (Hz)	0.01
	Temperature Range (Degree C)	NA
	Temperature Accuracy (%)	NA
	Temperature resolution (Degree C)	NA
FEATURES	Type	Hand Held
	Display (Digits)	3.5
	Measurement Type	True RMS
	Counts	6000, 50000, 10000, 20000, 30000, 40000, 60000, 70000, 80000, 90000, 100000, 200000, 20000000 Or higher
SAFETY	Safety Rating	Category III 600 V of IEC 61010.
	Safety Certification	CE
POWER REQUIREMENTS	Power Requirements	Battery Operated
	if Battery Operated, then Type of Battery	Non- Rechargeable (Alkaline)

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	if Non-rechargeable , then size of the battery / cell	9-V rectangular battery
	number of non- rechargeable the battery / cell	1
WARRANTY	Warranty	3.0 (year)
OPERATING CONDITION	Minimum Operating Temperature	-10.0 (degree Celsius)
	Maximum Operating Condition	50.0 (degree Celsius)
	Operating Humidity (RH)	80.0 (percent)
TEST REPORT DETAILS	The equipment supplied with calibration certificate	YES
	conformity to Dry Heat for 16 hrs at a specified maximum temp in accordance with IS:9000/part-3/section-5/1977 latest	No
	conformity to Cold Test for 4 hrs at a specified minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	No
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 hrs each at a temp of 40 degree C & 95% RH	No
	Availability of Test Reports from Central Govt/NABL/ILAC approved accredited lab to prove conformity to the specification	Yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nikhil Vikram	768211,GM OFFICE CWS(X), IB-VALLEY, AT/PO: BANDHABAHAL DIST: JHARSUGUDA	4	90

Digital Multimeter As Per IS 9000 (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MEASUREMENTS	DC Voltage Range	1000.0 (Volt)
	DC Voltage Accuracy	0.1 (percent)
	DC Voltage resolution	0.1 (milliVolt)
	AC Voltage Range	1000.0 (Volt)
	AC Voltage Accuracy	1.0 (percent)
	AC Voltage resolution	0.1 (milliVolt)
	DC Current Range	10.0 (Ampère)
	DC Current Accuracy	1.0 (percent)
	DC Current resolution	0.01 (milliAmpère)
	AC Current Range	10.0 (Ampère)
	AC Current Accuracy	1.5 (percent)
	AC Current resolution	0.01 (milliAmpère)
	Resistance Range	50.0 (megaOhm)
	Resistance Accuracy	1.0 (percent)
	Resistance resolution	0.1 (Ohm)
	Capacitance Range (Micro farad)	.01 to 1000
	Capacitance Accuracy (%)	1.5
	Capacitance resolution (nF)	1
	Frequency Range (KHz)	100
	Frequency Accuracy (%)	0.1
	Frequency resolution (Hz)	0.01

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Temperature Range (Degree C)	-40 to 400
	Temperature Accuracy (%)	1.5
	Temperature resolution (Degree C)	0.1
FEATURES	Type	Hand Held
	Display (Digits)	3.5
	Measurement Type	True RMS
	Counts	6000, 50000, 10000, 20000, 30000, 40000, 60000, 70000, 80000, 90000, 100000, 200000, 20000000 Or higher
OTHER FEATURES	Continuity test and Diode test	Available
SAFETY	Safety Rating	Category III 1000 V of IEC 61010.
	Safety Certification	UL, CE, CSA, TUV, VDE
POWER REQUIREMENTS	Power Requirements	Battery Operated
	if Battery Operated, then Type of Battery	Non- Rechargeable (Alkaline)
	if Non-rechargeable , then size of the battery / cell	9-V rectangular battery
	number of non- rechargeable the battery / cell	1
WARRANTY	Warranty	3.0 (year)
OPERATING CONDITION	Minimum Operating Temperature	-10.0 (degree Celsius)
	Maximum Operating Condition	50.0 (degree Celsius)
	Operating Humidity (RH)	85.0 (percent)
TEST REPORT DETAILS	The equipment supplied with calibration certificate	YES
	conformity to Dry Heat for 16 hrs at a specified maximum temp in accordance with IS:9000/part-3/section-5/1977 latest	No
	conformity to Cold Test for 4 hrs at a specified minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	No
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 hrs each at a temp of 40 degree C & 95% RH	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Availability of Test Reports from Central Govt/NABL/ILAC approved accredited lab to prove conformity to the specification	Yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nikhil Vikram	768211,GM OFFICE CWS(X), IB-VALLEY, AT/PO: BANDHABAHAL DIST: JHARSUGUDA	1	90

True Rms Clamp Meter (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL FEATURES	Type	Hand Held
	Display	3.5 digit Backlit LCD
	Measurement Type	True RMS
	count	6000
MEASUREMENT FEATURES	Resistance Measurement Range	10.0 (kiloOhm)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Resistance Measurement Accuracy (+/-)	1.0 (percent)
	Frequency Measurement Range	0.5 (kiloHertz)
	Frequency Measurement Accuracy (+/-)	0.5 (percent)
	AC Current Measurement Range	1000.0 (Ampère)
	AC Current Measurement Accuracy (+/-)	2.5 (percent)
	AC Voltage Measurement Range	1000.0 (Volt)
	AC Voltage Measurement Accuracy (+/-)	1.5 (percent)
	DC Current Measurement Range	1000.0 (Ampère)
	DC Current Measurement Accuracy (+/-)	2.0 (percent)
	DC Voltage Measurement Range	1000.0 (Volt)
	DC Voltage Measurement Accuracy (+/-)	1.0 (percent)
GENERIC	Jaw Size (Dia in Closed State)	34.0 (millimeter)
POWER REQUIREMENTS	Power Requirements	Battery Operated
	Type of Battery	Non- Rechargeable (Alkaline)
	Suitable charger/adaptor provided	yes
OPERATING CONDITION	Minimum Operating Temperature	10.0 (degree Celsius)
	Maximum Operating Temperature	50.0 (degree Celsius)
	Operating Humidity (RH)	90.0 (percent)
SAFETY	Safety Certification	CE
	Safety Rating	CAT III 600 V of IEC 61010 -2-D31
SERVICE	Warranty	3.0 (year)
TEST REPORT DETAILS & TESTS	The equipment supplied with calibration certificate	yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nikhil Vikram	768211,GM OFFICE CWS(X), IB-VALLEY, AT/PO: BANDHABAHAL DIST: JHARSUGUDA	1	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- The Seller fails to comply with any material term of the Contract.
- The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- The Seller becomes bankrupt or goes into liquidation.
- The Seller makes a general assignment for the benefit of creditors.
- A receiver is appointed for any substantial property owned by the Seller.
- The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the

Purchase Order on the Seller.

4. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

8. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

CWS IB VALLEY, MCL

Account No.

10746824142

IFSC Code

SBIN0008704

Bank Name

State Bank of India

Branch address

State Bank of India BANDHBAHAL

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

01.0 Warranty/Guarantee clause/ वारंटी/गारंटी क्लॉज: Materials are to be guaranteed against any manufacturing defect for a period of 12 Months from the date of commissioning/installation/

use of the item or 16 Months from the date of receipt & acceptance of materials at the Consignees Store/Depot/Commissioning of the materials; whichever is earlier. The supplier shall be responsible for any defect that may, under the condition provided for as per terms and condition of NIT and under use, arise due to faulty materials design or workmanship and shall remedy such defect at their own cost. If it becomes so necessary for the supplier to replace or to renew any defective part, such replacement or renewal shall be made by the supplier without any extra cost to Mahanadi Coal Fields Limited.

02.0 PBG Clause: Successful Bidder can submit the Performance Security @ 3 % of the quoted amount. Other details regarding submission of Performance Security shall be done as per details mentioned in Forms of EMD and PBG.

03. Pre-dispatch inspection certificate from manufacturer. Final inspection to be carried out at consignee's end.

04. The quoted price should be inclusive of packaging, handling, freight, Taxes and duties (if any) and other charges.

05. i). Documents to be provided by the bidders:

- a. 1000V AC measurement range True RMS Clamp meter should confirm to IEC 60529: IP30 for ingress protection, IEC 61326-1: Portable Electromagnetic Environment & IEC 61326-2-2, CISPR 11: Group 1, Class B for Electromagnetic compatibility, and **Safety rating - Category III 1000 V of IS/IEC 61010 -2-D31**. Proper certificate confirming to the above-mentioned standards should be submitted. Test certificate of the equipment should also be submitted. Over voltage protection should be there. Manufacturer's IS certificate confirming to **IS/IEC 61010** standards must be submitted.
- b. Test voltage 500V hand driven insulation tester should confirm to - **IS 2992:1987** or any latest amendment and **Safety rating - Category III 600 V of IS/IEC 61010 or latest amendment according to Indian Standards**. Proper certificate confirming to the above-mentioned standards should be submitted. Test certificate of the equipment should also be submitted. Manufacturer's IS certificate confirming to **IS 2992:1987** standard must be submitted.
- c. Test voltage 1000V hand driven insulation tester - **IS 2992:1987** or any latest amendment and **Safety rating - Category III 1000 V of IS/IEC 61010**. Proper certificate confirming to the above-mentioned standards should be submitted. Test certificate of the equipment should also be submitted. Manufacturer's IS certificate confirming to **IS 2992:1987** standard must be submitted.
- d. Test voltage 5000V hand driven insulation tester - **IS 2992:1987** or any latest amendment and **Safety rating - Category III 1000 V of IS/IEC 61010**. Proper certificate confirming to the above-mentioned standards should be submitted. Test certificate of the equipment should also be submitted. Manufacturer's IS certificate confirming to **IS 2992:1987** standard must be submitted.
- e. 600V AC measurement range Digital Multi-meter should confirm to **IS 9000** specifications. **Safety rating - Category III 600 V of IS/IEC 61010**. Proper certificate confirming to the above-mentioned standards should be submitted. Test certificate of the equipment should also be submitted. Over voltage protection should be there. Manufacturer's IS certificate confirming to **IS 9000** standard and Safety standards must be submitted.
- f. 1000V AC measurement range Digital Multi-meter should confirm to **IS 9000** specifications. **Safety rating - Category III 1000 V of IS/IEC 61010**. Proper certificate confirming to the above-mentioned standards should be submitted. Test certificate of the equipment should

also be submitted. Over voltage protection of IS/IEC 61010-1 to 1000 V CAT III & IS/IEC 61010-1 to 600 V CAT IV should be confirmed. Manufacturer's IS certificate confirming to **IS 9000** standard and Safety standard must be submitted.

ii) MSME Certificate if any

iii) Provenness Criteria

(Past supply order copy of same/similar or higher technical specification of any one year in the last 3 years.)

iv) 1. The seller should be registered with OEM for reselling and should provide the authorization certificate i.e. MANUFACTURER'S (OEM) AUTHORIZATION FORM (MAF) issued by OEM.

2. In case of re-sellers, if the reseller has not been approved as an authorized re-seller i.e. all stocks tagged as "Reseller-Not Verified by OEM", the re-seller will have to give an undertaking as under while uploading the product, while accepting any order and while participating in any bid:-

"I hereby undertake that I have made arrangements for getting the stores from authorized distributor/dealer/channel partner of the OEM of the offered products. At the time of delivery of goods, I will provide necessary chain documents to prove that the supplied goods are genuine and being sourced from authorized distributor/dealer/channel partner of the OEM. In case of any complaint from the Buyer/ consignee about genuineness of the supplied products, I shall be responsible for providing genuine replacement supplies."

v) MII (Make in India) certificate as per GeM format indicating the percentage of the local content and the details of locations at which the local value addition is made.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---