

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	06-06-2024 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	06-06-2024 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Gujarat
Department Name/विभाग का नाम	Energy And Petro Chemicals Department Gujarat
Organisation Name/संगठन का नाम	Gujarat State Petroleum Corporation Limited (gspc) Gandhinagar
Office Name/कार्यालय का नाम	Gandhinagar
Total Quantity/कुल मात्रा	2
Item Category/मद केटेगरी	Steel Porta Cabin (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	1 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	1 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No

Bid Details/बिड विवरण	
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Steel Porta Cabin (2 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Configuration of Cabin	With one Room and Verandah., With one Room only., With one room, one kitchen and verandah, With three rooms, one kitchen and verandah, With one room - one toilet and one pantry, Hall with attached Room - 1 no, Conference Hall + attached Pantry - 1 no, One no. Toilet (comprising of 2 Urine pot, 1 Toilet Room with Sheet and 1 no. Wash basin)
	Approval of Advance sample	No Advance Sample, Seller agree to submit layout drawing for each TYPE/SIZE porta cabins
	Time period for completion of Erection work at site by seller	Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 30 days of the date of receipt of Purchase order
	Suitability / structural stability / completeness of structures, the structure is intended for use in	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition., In wind condition of 55m/s - in Seismic zone V and ambient temprature range 0 degree C to (+) 50 degree C - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of slope(roof)	One way slope., Two way slope., All side slope., No Slope (self draining type roof)
	Insulation of Wall / Roof / door panels	Insulation core of panel to be formed in one piece and provides desired structural and physical properties., N.A
	Storage provision	1 no. Wooden Cabinet, 1 no. Steel Almirah, N.A
	Provision for Power Connection	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	Wiring	Concealed wiring, Surface wiring
	Provision for Cable , Switches and Junction box connection	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin., Provision for Cable, switches and Junction box Connection not required., Provision of PVC insulated copper wiring - PVC conduits - AC points - Switch - Sockets - Fluorescent lights/LED's - Fans - Exhaust fan and MCB, As per Buyer's choice
	Other requirements	All necessary required permissions from civic agencies for installation and commissioning to be arranged by seller - necessary assistance / documents required to be provided by Buyer., Not required.
PANEL MATERIAL	Side wall panel material	1.25 mm thick corrugated HR sheet, 1.6 mm thick steel sheet, PUF Wall Panel – Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 50mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet
	Door panel material	Flush door 32 mm thick water proof., Waterproof BWP flush door 34 mm thick
	Window panel material	Powder coated aluminium sliding windows with 4 mm tinted Glass, Board Aluminium frame (60 mm x 30 mm) sliding shutter with 5 mm plain glass.
	Door and Window canopy material	1.25 mm thick corrugated HR sheet, As per Buyer's choice

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Floor panels material	24 mm Block board thickness with FRP coating checkers style., 19 mm thick marine grade plywood confmg. to IS 710 / latest to be laid on top and secured by self - tapping screws to the base members - Covered with 2 mm thick PVC sheets., 16 mm thick marine grade plywood with Vinyl carpet., 15 mm heavy duty cement fiber board inside and outside texture paint., 18 mm thick BWP plyboard mounted on top and above that PVC to be attached on above surface., BWP marine grade ply board 12 mm thick with PVC vinyl sheet on top., 18 mm plywood with 1.5 mm vinyl sheet, 18mm thick cement board with PVC Vinyl carpet top of at least 1.5mm thickness with suitable support on bottom
	Roof panel material	Fibreglass Reinforced plastics (F.R.P), 18 gauge MS corrugated sheet, 2 mm thick plan MS sheet Confmg. to IS 1079, 2 mm thick plan MS sheet Confmg. to IS 513, Insulated Roof to be made of continue line sandwich panels with 0.35 mm thick pre-coated steel sheet (PPGI sheet) having 120GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat minimum 15 microns ON BOTH SIDES OF PUF., Made out of plain GI sheet 0.63 mm thick chemically treated., 75 mm thick panels of thermal insulated stuffed - High grade galvanized steel chemically coated with six layers from inside and outside., 0.45 mm corrugated galvanized colour coated sheet., 1.25 m thick corrugated HR sheet, The PUF insulated Ceiling panels. The covering on ceiling panels shall be micro riving Pre-coated galvanized iron sheet and Self draining Type Roof shall be provided with water proof covering
	Insulation material for sides and End walls	With 50 mm thick glass wool, 50mm thick layer of PU foam of density of 40±2 kg / CuM as insulation
	Insulation material for Roof	With 75 mm thick glass wool, 50mm thick layer of PU foam of density of 40±2 kg / CuM as insulation
	Inside panel material for sides, end walls & roof	Consists of 8 mm thick pre-laminated board., The interior shall be aesthetically finished. All vertically and horizontal corners shall be neatly and smoothly finished with suitable Aluminum sections. All inner paneling shall be done by decorative laminated board
FRAME MATERIAL	Roof frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 3.5 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 4 mm thick, Made of MS having stiffner Top 50 mm x 25 mm x 2.5 mm thick and 32 mm x 32 mm x 2 mm MS sq. tubes, Supported MS structure with Column - Truss - Portal truss - Purlin - Tie member, MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., Robust structural steel frame laced with cross members and corrugated steel panels, Top frame MS tube 80 mm X 80 mm (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Side Panel frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 3.5 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 4 mm thick, Supported MS structure with Column - Truss - Portal truss - Purlin - Tie member, MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., Robust structural steel frame laced with cross members and corrugated steel panels, Pillar of 150 mm x 50 mm x 25 mm x 4 mm MS section (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
	Floor panel frame	MS having 50 mm x 50 mm x 2 mm, MS structure base frame C channel of size 125 mm x 75 mm and Base filling of MS tubular pipe of 80 mm x 40 mm, interconnecting MS pipe (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
Dimensions and Thickness	Inside Length ± 15 mm	1220 mm, 1525 mm, 1830 mm, 2135 mm, 2210 mm, 2440 mm, 3050 mm, 3960 mm, 6100 mm, 6000 mm, 12200 mm, 9000 mm, 12000 mm
	Inside Width ± 15 mm	1065 mm, 1220 mm, 1830 mm, 2135 mm, 2210 mm, 2440 mm, 3050 mm, 3660 mm, 1525 mm, 7620 mm, 3000 mm
	Total Height (mm) ± 15mm	2135 mm, 2285 mm, 2440 mm, 2590 mm, 2750 mm, 2895 mm, 2550 mm
	Door Width ± 5 mm	760 mm
	Roof projection (if any) ± 10 mm	305 mm to be given on all sides at full height of cabins., 300 mm from the Eaves wall and 150 mm from the Gable walls., 380 mm to be given on all sides at full height of cabins., N.A
	Total thickness of Wall panel ± 2 mm	75 mm, 47 mm, 40 mm, 30 mm, 20 mm, 15 mm, 50 mm, 55 mm
	Total thickness of Door panel ± 2 mm	40 mm, 35 mm, 30 mm, 20 mm, 15 mm, 50 mm
	Roof ridge height ± 10 mm	Total height (i.e. height of side panels) + 610 mm, Total height (i.e. height of side panels) + 760 mm, N.A
MISCELENIIOUS	Almirah / Cabinet size ± 5 mm	760 mm x 405 mm x 750 mm, 760 mm x 405 mm x 1000 mm, 760 mm x 405 mm x 1220 mm, 760 mm x 405 mm x 1525mm, 760 mm x 405 mm x 1650 mm, N.A
	safety Grills (for windows)	Made from MS square bar of 8 mm having equal spacing of 125 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Electric fittings	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided., To be supplied alongwith 1 no. ISI marked 355 mm Wall fan with its fittings - 2 nos. 8 watt LED bulbs - one exhaust fan - Fitting and Fixtures for wall fan & exhaust fan and LEDs - 1 no. switch panel / board - 1 no. light plug point to charger., Only electric points to be provided for one fan - One light with switch board for room and one electric point for light in verandah with switch board., Provision for 3 nos. tube light (18 Watt LED light) - 2 nos. wall mounted ceiling fan (300 mm) - 3 nos. plug and socket (3 pin 5 amps electric plug socket)- 1 no main input socket (32 Amp heavy duty 3 pin power socket with MCB)- split AC (1.5 T) provision, N.A, 6 nos. LED/Tube lights - 6 nos. 5 Amp sockets - 3 nos. 15 Amp sockets - 3 nos. Fan wall mounted - 1 no. point for split AC - 1 no. Exhaust fan and MCB at suitable location., As per Buyer's choice
	Number of Doors	1
	Number of Windows	2 nos. windows
	Roof slope	N.A
	Door opening	External
	Roof ridge	To be made out from 0.45 mm thick PPGL sheet., N.A
	Flashing item (U track, L corner etc)	To be made out with 0.45 mm thick PPGL sheet in require size and shape., N.A, As per Buyer's choice
	Locking / Security	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft., N.A, Door Locking arrangement from outside with separate handles on both sides of the door. Door fitted with lock and door closure fitted from inside.
COLOUR AND FINISH	Colour	White, Green, Blue, Grey, As per Buyer's choice
	Top coat	Chlorinated rubber paint 50 microns., Bituminous paint., N.A
	Paint outside	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation., Weather texture roller paint, All exterior panels to be white and Blue texture excluding the acrylic / polycarbonate and aluminium frames., As per Buyer's choice, 1 coat primer and 2 coats of enamel exterior paint(colour as per buyer's choice), N.A

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Inside finish	Internal panels - doors - ceiling - shutter to be white finish (excluding polycarbonate / acrylic glass sheet and aluminium frames on windows), Weather texture roller paint., Wall internal cladding by 50 mm thick glasswood with 6 mm prelaminated plywood with white colour sunmica fixed with aluminium stiffener and rivets, As per Buyer's choice, Inner panelling in all walls and roof provided with Decorative laminated sheet fixed on moisture resistant plywood
	Logo (if any)	Approved logo of desired size to be painted as per Buyer's requirement., No logo
CERTIFICATION	Test reports to be furnished to buyer's on demand	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes, No
	OEM of offered product is ISO 14001:2015 certified	Yes, No
	OEM of offered product is ISO 18001:2007 certified	Yes, No

Additional Specification Parameters - Steel Porta Cabin (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE:	04 (L) X 04 (B) X 8 (H) FT
BASE FRAME:	THE BASE FRAME SHALL BE MADE OF PRESSED MILD STEEL CHANNEL SECTION OF C CHANNEL FOR OUTER FRAME ISMC AND FOR CROSS SECTION STRONG GRID PATTERN OF 2 X 2 SHALL BE PROVIDED BY C SECTION TO AVOID DEFLECTION
TOP FRAME & ROOF:	THE TOP FRAME SHALL BE MADE USING OUTER C CHANNEL, SQUARE PIPE, ANGLE, ETC. SELF- DRAINING TYPE OF ROOF SHALL BE PROVIDED BY USING 1.2MM THICK GI SHEETS. SELF-DRAINING TYPE ROOF SHALL HAVE BOTH SIDE SLOPE.
SIDE AND END WALLS:	THE SIDE AND END FRAME SHALL BE MADE OUT OF PRESSED SECTIONS OF SUITABLE PROFILES OF SUFFICIENT STRENGTH. STEEL SHEET SHALL BE CONTINUOUSLY WELDED AT THE TOP AND BOTTOM OF THE ENTIRE STRUCTURE TO OFFER BETTER STRENGTH TO WEIGHT RATIO. ALL GAPS SHALL BE SEALED AT EDGES, SEAMS, BOTTOM ETC. TO PREVENT INGRESS OF MOISTURE. EXTERIOR WALL SHALL BE MADE UP OF 1.2MM THICK GI SPECIALLY CORRUGATED SHEETS,
ELECTRIFICATION	WIRING SHALL BE CONCEALED, 1 LED LIGHTS, 1 NO BULK HEAD LIGHT FOR OUT SIDE, 1 NO OF CABIN FAN

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Saarthak Gautam	382010,GSPC Bhavan, Behind Udyog Bhavan, Sector-11, Gandhinagar-382010, Gujarat, India	2	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.

12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---