

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	03-06-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	03-06-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)
Office Name/कार्यालय का नाम	10140027-hpbp Trichy
Total Quantity/कुल मात्रा	2478
	ROUND DIA 40 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 10 MT , ROUND DIA 50 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 10 MT , ROUND DIA 80 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 12 MT , ROUND DIA 100 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 15 MT , ROLLED ROUND DIA 40 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 6 MT , ROLLED ROUND DIA 50 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 18 MT , ROLLED ROUND DIA 63 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 13 MT , ROLLED ROUND DIA 80 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 13 MT , ROLLED ROUND DIA 90 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 10 MT , ROLLED ROUND DIA 100 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 90 MT , FORGED BAR DIA 140 MM - SA182F91-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 18 MT , FORGED BAR DIA 200 MM - SA182F91-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 16 MT , FORGED BAR DIA 250 MM - SA182F91-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 10 MT , ROUND DIA 63.0 MM - IS1875CL4-As per Specification-Non-IBR Length - 4 to 6 Mtrs Qty - 10 MT , ROUND DIA 80.0 MM - IS1875CL4-As per Specification-Non-IBR Length - 4 to 6 Mtrs Qty - 8 MT , ROUND DIA 100.0 MM - IS1875CL4-As per Specification-Non-IBR Length - 4 to 6 Mtrs Qty - 25 MT , ROUND DIA 125.0 MM - IS1875CL4-As per Specification-Non-IBR Length - 2 to 4 Mtrs Qty - 7 MT , Dia 6 MM- IS2062E250GRA or SAE1010 or SAE1018-As per Specification-Non-IBR Length - Coil form Qty - 350 MT , ROUND DIA 125 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 70 MT , ROUND DIA 140 MM -

Bid Details/बिड विवरण	SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 50 MT , ROUND DIA 165 MM - SA105-TDC0404 Rev 19-IBR
Item Category/मद केटेगरी	ATTEST Length - 2 to 4 Mtrs Qty - 45 MT , ROUND DIA 200 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 60 MT , ROUND DIA 225 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 15 MT , ROUND DIA 250 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 22 MT , ROUND DIA 300 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 to 4 Mtrs Qty - 25 MT , ROUND DIA 10 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 20 MT , ROUND DIA 12 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 20 MT , ROUND DIA 16 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 20 MT , ROUND DIA 25 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 35 MT , ROUND DIA 32 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 60 MT , ROUND DIA 36 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 20 MT , ROUND DIA 40 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 120 MT , ROUND DIA 50 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 370 MT , ROUND DIA 63 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 270 MT , ROUND DIA 80 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 330 MT , ROUND DIA 100 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 120 MT , SS WIRE DIA 3.15 MM-SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - Coil form Qty - 2 MT , DIA 6.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 70 MT , DIA 10.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 5 MT , DIA 12.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 4 MT , DIA 16.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 2 MT , DIA 20.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 4 MT , DIA 25.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 12 MT , DIA 32.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 8 MT , DIA 40.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 8 MT , DIA 50.0 MM - SA479TP304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 11 MT , DIA 63.0 MM - SA479TP304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 13 MT , DIA 80.0 MM - SA479TP304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 6 MT , DIA 100.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 5 MT , ROUND DIA 12.5 - SA479TY310S-TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 5 MT , ROUND DIA 6 MM - SA479TY310S-TDC0309 Rev 12 -Non-IBR Length - 5 to 6 Mtrs Qty - 10 MT
BOQ Title/बीओक्यू शीर्षक	Procurement of Carbon Alloy and Stainless steel rounds
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	ROUND DIA 50 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 10 MT
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule.

The details of item-consignee combination covered under each schedule are as under:

<b>Evaluation Schedules</b>	<b>Item/Category</b>	<b>Quantity</b>
Schedule 1	Round Dia 40 - Sa182f12cl2-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 10 Mt	10
Schedule 2	Round Dia 50 - Sa182f12cl2-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 10 Mt	10
Schedule 3	Round Dia 80 - Sa182f12cl2-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 12 Mt	12
Schedule 4	Round Dia 100 - Sa182f12cl2-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 15 Mt	15
Schedule 5	Rolled Round Dia 40 Mm - Sa182f91-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 6 Mt	6
Schedule 6	Rolled Round Dia 50 Mm - Sa182f91-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 18 Mt	18
Schedule 7	Rolled Round Dia 63 Mm - Sa182f91-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 13 Mt	13
Schedule 8	Rolled Round Dia 80 Mm - Sa182f91-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 13 Mt	13
Schedule 9	Rolled Round Dia 90 Mm - Sa182f91-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 10 Mt	10
Schedule 10	Rolled Round Dia 100 Mm - Sa182f91-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 90 Mt	90
Schedule 11	Forged Bar Dia 140 Mm - Sa182f91-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 18 Mt	18
Schedule 12	Forged Bar Dia 200 Mm - Sa182f91-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 16 Mt	16
Schedule 13	Forged Bar Dia 250 Mm - Sa182f91-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 10 Mt	10
Schedule 14	Round Dia 63.0 Mm - Is1875cl4-as Per Specification-non-ibr Length - 4 To 6 Mtrs Qty - 10 Mt	10
Schedule 15	Round Dia 80.0 Mm - Is1875cl4-as Per Specification-non-ibr Length - 4 To 6 Mtrs Qty - 8 Mt	8
Schedule 16	Round Dia 100.0 Mm - Is1875cl4-as Per Specification-non-ibr Length - 4 To 6 Mtrs Qty - 25 Mt	25
Schedule 17	Round Dia 125.0 Mm - Is1875cl4-as Per Specification-non-ibr Length - 2 To 4 Mtrs Qty - 7 Mt	7
Schedule 18	Dia 6 Mm-is2062e250gra Or Sae1010 Or Sae1018-as Per Specification-non-ibr Length - Coil Form Qty - 350 Mt	350
Schedule 19	Round Dia 125 Mm - Sa105-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 70 Mt	70
Schedule 20	Round Dia 140 Mm - Sa105-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 50 Mt	50
Schedule 21	Round Dia 165 Mm - Sa105-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 45 Mt	45

Schedule 22	Round Dia 200 Mm - Sa105-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 60 Mt	60
Schedule 23	Round Dia 225 Mm - Sa105-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 15 Mt	15
Schedule 24	Round Dia 250 Mm - Sa105-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 22 Mt	22
Schedule 25	Round Dia 300 Mm - Sa105-tdc0404 Rev 19-ibr Attest Length - 2 To 4 Mtrs Qty - 25 Mt	25
Schedule 26	Round Dia 10 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 20 Mt	20
Schedule 27	Round Dia 12 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 20 Mt	20
Schedule 28	Round Dia 16 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 20 Mt	20
Schedule 29	Round Dia 25 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 35 Mt	35
Schedule 30	Round Dia 32 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 60 Mt	60
Schedule 31	Round Dia 36 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 20 Mt	20
Schedule 32	Round Dia 40 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 120 Mt	120
Schedule 33	Round Dia 50 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 370 Mt	370
Schedule 34	Round Dia 63 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 270 Mt	270
Schedule 35	Round Dia 80 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 330 Mt	330
Schedule 36	Round Dia 100 Mm - Sa105-tdc0309 Rev 12 -ibr Attest Length - 6 Mtrs - Qty - 120 Mt	120
Schedule 37	Ss Wire Dia 3.15 Mm-sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - Coil Form Qty - 2 Mt	2
Schedule 38	Dia 6.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 70 Mt	70
Schedule 39	Dia 10.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 5 Mt	5
Schedule 40	Dia 12.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 4 Mt	4
Schedule 41	Dia 16.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 2 Mt	2
Schedule 42	Dia 20.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 4 Mt	4
Schedule 43	Dia 25.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 12 Mt	12
Schedule 44	Dia 32.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 8 Mt	8
Schedule 45	Dia 40.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 8 Mt	8
Schedule 46	Dia 50.0 Mm - Sa479tp304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 11 Mt	11

Schedule 47	Dia 63.0 Mm - Sa479tp304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 13 Mt	13
Schedule 48	Dia 80.0 Mm - Sa479tp304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 6 Mt	6
Schedule 49	Dia 100.0 Mm - Sa479ty304- Cert -tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 5 Mt	5
Schedule 50	Round Dia 12.5 - Sa479ty310s-tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 5 Mt	5
Schedule 51	Round Dia 6 Mm - Sa479ty310s-tdc0309 Rev 12 -non-ibr Length - 5 To 6 Mtrs Qty - 10 Mt	10

## ROUND DIA 40 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 10 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	10	90

## ROUND DIA 50 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 10 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014, MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	10	90

**ROUND DIA 80 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 12 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	12	90

**ROUND DIA 100 - SA182F12CL2-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 15 MT**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	15	90

**ROLLED ROUND DIA 40 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 6 MT**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	6	90

**ROLLED ROUND DIA 50 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 18 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	18	90

**ROLLED ROUND DIA 63 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 13 MT**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	13	90

**ROLLED ROUND DIA 80 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 13 MT**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	13	90

**ROLLED ROUND DIA 90 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 10 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	10	90

**ROLLED ROUND DIA 100 MM - SA182F91-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 90 MT**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	90	90

**FORGED BAR DIA 140 MM - SA182F91-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 18 MT**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	18	90

**FORGED BAR DIA 200 MM - SA182F91-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 16 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	16	90

### FORGED BAR DIA 250 MM - SA182F91-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 10 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	10	90

### ROUND DIA 63.0 MM - IS1875CL4-As Per Specification-Non-IBR Length - 4 To 6 Mtrs Qty - 10 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	10	90

**ROUND DIA 80.0 MM - IS1875CL4-As Per Specification-Non-IBR Length - 4 To 6 Mtrs Qty - 8 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	8	90

**ROUND DIA 100.0 MM - IS1875CL4-As Per Specification-Non-IBR Length - 4 To 6 Mtrs Qty - 25 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	25	90

**ROUND DIA 125.0 MM - IS1875CL4-As Per Specification-Non-IBR Length - 2 To 4 Mtrs Qty - 7 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	7	90

**Dia 6 MM-IS2062E250GRA Or SAE1010 Or SAE1018-As Per Specification-Non-IBR Length - Coil Form Qty - 350 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014, MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	350	90

### ROUND DIA 125 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 70 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014, MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	70	90

### ROUND DIA 140 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 50 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	50	90

**ROUND DIA 165 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 45 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014, MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	45	90

### ROUND DIA 200 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 60 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014, MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	60	90

### ROUND DIA 225 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 15 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	15	90

**ROUND DIA 250 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 22 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	22	90

### ROUND DIA 300 MM - SA105-TDC0404 Rev 19-IBR ATTEST Length - 2 To 4 Mtrs Qty - 25 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	25	90

### ROUND DIA 10 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 20 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	20	90

**ROUND DIA 12 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 20 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	20	90

### ROUND DIA 16 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 20 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	20	90

### ROUND DIA 25 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 35 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	35	90

**ROUND DIA 32 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 60 MT**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	60	90

### ROUND DIA 36 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 20 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	20	90

### ROUND DIA 40 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 120 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	120	90

**ROUND DIA 50 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 370 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	370	90

## ROUND DIA 63 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 270 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	270	90

## ROUND DIA 80 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 330 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	330	90

**ROUND DIA 100 MM - SA105-TDC0309 Rev 12 -IBR ATTEST Length - 6 Mtrs - Qty - 120 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanu Debnath	620014,MATERIALS MANAGEMENT, IV FLOOR, BUILDING -24, HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI 14	120	90

### SS WIRE DIA 3.15 MM-SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - Coil Form Qty - 2 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	90

### DIA 6.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 70 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	70	90

**DIA 10.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 5 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

### DIA 12.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 4 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	4	90

### DIA 16.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 2 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	90

**DIA 20.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 4 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	4	90

### DIA 25.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 12 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	12	90

### DIA 32.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 8 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	8	90

**DIA 40.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 8 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	8	90

### DIA 50.0 MM - SA479TP304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 11 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	11	90

### DIA 63.0 MM - SA479TP304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 13 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	13	90

**DIA 80.0 MM - SA479TP304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 6 MT**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	6	90

### DIA 100.0 MM - SA479TY304- CERT -TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 5 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

### ROUND DIA 12.5 - SA479TY310S-TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 5 MT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

**ROUND DIA 6 MM - SA479TY310S-TDC0309 Rev 12 -Non-IBR Length - 5 To 6 Mtrs Qty - 10 MT**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shaleen Shray Tigga	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	10	90

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- Supply of AS rounds as per specification SA182 F12 CL2 (Rolled), SA182F91 (Rolled & Forged), SS rounds as per Type 300 series and CS rounds as per specification SA105 (Rolled & Forged), IS1875CL4 and IS2062E250GRA. Compliance to tendered Specification and TDC for respective items are mandatory for consideration of offer.

#### 2. Material specification, Size and Quantity details,

ITEM DESCRIPTION	TDC	IBR Req.	Length Requirement	Qty (MT)
ROUND DIA 40 - SA182 F12CL2	TDC0309 Rev 12	IBR ATTEST	6 Mtrs (tolerance +200/-Nil)	10
ROUND DIA 50 - SA182 F12CL2	TDC0309 Rev 12	IBR ATTEST	6 Mtrs (tolerance +200/-Nil)	10
ROUND DIA 80 - SA182 F12CL2	TDC0309 Rev 12	IBR ATTEST	6 Mtrs (tolerance +200/-Nil)	12
ROUND DIA 100 - SA182 F12CL2	TDC0309 Rev 12	IBR ATTEST	6 Mtrs (tolerance +200/-Nil)	15
<b>Subtotal - SA182F12CL2</b>				<b>47</b>

ROLLED ROUND DIA 40 MM - SA182F91	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	6
ROLLED ROUND DIA 50 MM - SA182F91	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	18
ROLLED ROUND DIA 63 MM - SA182F91	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	13
ROLLED ROUND DIA 80 MM - SA182F91	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	13
ROLLED ROUND DIA 90 MM - SA182F91	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	10
ROLLED ROUND DIA 100 MM - SA182F91	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	90
FORGED BAR DIA 140 MM - SA182F91	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	18
FORGED BAR DIA 200 MM - SA182F91	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	16
FORGED BAR DIA 250 MM - SA182F91	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	10
<b>Subtotal - SA182F91</b>				<b>194</b>
ROUND DIA 63.0 MM - IS1875CL4	As per Specification	Non-IBR	4 to 6 Mtrs	10
ROUND DIA 80.0 MM - IS1875CL4	As per Specification	Non-IBR	4 to 6 Mtrs	8
ROUND DIA 100.0 MM - IS1875CL4	As per Specification	Non-IBR	4 to 6 Mtrs	25
ROUND DIA 125.0 MM - IS1875CL4	As per Specification	Non-IBR	2 to 4 Mtrs	7
<b>Subtotal - IS1875CL4</b>				<b>50</b>
Dia 6 MM-IS2062E250GRA/ SAE1010/SAE1018	As per Specification	Non-IBR	Coil form (Weight shall be 1 MT)	350
<b>Subtotal - IS2062E250GRA/SAE1010/SAE1018</b>				<b>350</b>

ROUND DIA 125 MM - S A105	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	70
ROUND DIA 140 MM - S A105	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	50
ROUND DIA 165 MM - S A105	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	45
ROUND DIA 200 MM - S A105	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	60
ROUND DIA 225 MM - S A105	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	15
ROUND DIA 250 MM - S A105	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	22
ROUND DIA 300 MM - S A105	TDC0404 Rev 1 9	IBR ATTES T	2 to 4 Mtrs	25
<b>Subtotal - SA105 Forged</b>				<b>287</b>
ROUND DIA 10 MM - S A105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	20
ROUND DIA 12 MM - S A105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	20
ROUND DIA 16 MM - SA 105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	20
ROUND DIA 25 MM - SA 105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	35
ROUND DIA 32 MM - SA 105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	60
ROUND DIA 36 MM - SA 105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	20
ROUND DIA 40 MM - SA 105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	120

ROUND DIA 50 MM - SA 105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	370
ROUND DIA 63 MM - SA 105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	270
ROUND DIA 80 MM - SA 105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	330
ROUND DIA 100 MM - S A105	TDC0309 Rev 1 2	IBR ATTES T	6 Mtrs (tolerance +200/-Nil )	120
<b>Subtotal - SA105 Rolled</b>				<b>1385</b>
SS WIRE DIA 3.15 MM- SA479TY304(CERT)	TDC0309 Rev 1 2	Non-IBR	Coil form (Weight sh all be 20 - 25 Kg )	2
DIA 6.0 MM - SA479TY 304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	70
DIA 10.0 MM - SA479T Y304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	5
DIA 12.0 MM - SA479T Y304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	4
DIA 16.0 MM - SA479T Y304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	2
DIA 20.0 MM - SA479T Y304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	4
DIA 25.0 MM - SA479T Y304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	12
DIA 32.0 MM - SA479T Y304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	8
DIA 40.0 MM - SA479T Y304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	8
DIA 50.0 MM - SA479T P304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	11
DIA 63.0 MM - SA479T P304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	13
DIA 80.0 MM - SA479T P304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	6
DIA 100.0 MM - SA479TY304(CERT)	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	5

ROUND DIA 12.5 - SA4 79TY310S	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	5
ROUND DIA 6 MM - SA4 79TY310S	TDC0309 Rev 1 2	Non-IBR	5 to 6 Mtrs	10
<b>Subtotal - SS Rounds Ty 300 series</b>				<b>165</b>
<b>Grand Total</b>				<b>2478</b>

3. Quantity tolerance shall be -5/+10%
4. Length of the round bars shall be as per the above table. For supplies in coil form,
  - a. Dia 6 MM-IS2062E250GRA/SAE1010/SAE1018 - individual coil weight should not exceed 1 MT.
  - b. SS WIRE DIA 3.15 MM-SA479TY304(CERT) - individual coil weight should not exceed 20 - 25 Kg
5. Pls provide signed copy of TDC & PQR confirming to all points without taking any deviation.
6. **Pre-qualifying requirement:** In addition to the specification requirements, suppliers shall meet the Pre-Qualification Requirements against respective specification for the above procurement enclosed herewith. Pls submit all the required documents in line with the PQR. The offers of the suppliers who fail to do so will be liable for rejection. Find the applicable PQR for respective specification is as below,

Specification	Applicable PQR
SA182F91, IS1875CL4, SA105 Forged, SA182F12CL2, SA105 Rolled, SS Rounds Ty300 series	REF:MM: PUR: AS ROUNDS dt 29.08.2022 (Offers from manufacturers only acceptable)
IS2062E250GRA/SAE1010/SAE1018	REF:MM: PUR: Rounds dt 22.03.2024

7. Supplier may opt any one of the below payment term,
  - i. 100% direct EFT payment 90 days from the date of receipt of vehicle at BHEL/stores
  - ii. Usance LC @120 days from the date of submission of documents at beneficiary bank and LC opening & retirement charges will be BHEL account.

**Note:**

1. BHEL Preferred payment term is 90 days from the date of receipt of vehicle at BHEL/stores and generally LC payment terms will not be entertained.
2. On exceptional cases, LC will be opened with a validity of 90 days and suppliers have to complete the dispatches within the validity of LC. Extension of LC validity will not be entertained and dispatches beyond LC validity shall be on collection basis only.

**MSME Suppliers** may opt for the below payment terms.

- iii. **Micro & Small enterprises** - Within 45 days from CRAC in GeM portal
- iv. **Medium enterprises** - Within 60 days from CRAC in GeM portal

**8. GST:**

- a. Response to Tenders for Indigenous supplier will be entertained only if the vendor has a valid GST registration number which should clearly mentioned in the offer. Indicate the GST registration number. If any specific exemption is available, a declaration with due supporting documents need to be furnished for considering the offer.
- b. Supplier shall mention their GSTN registration number in all their invoices (incl. Credit notes, debit notes) and invoices shall be in the format as specified/prescribed under GST laws. Invoices shall necessarily contain Invoice number (in case of multiple numbering system is being followed for billing like SAP invoice no, commercial invoice no etc., th

- en the Invoice No which is linked/uploaded in GSTN network shall be clearly indicated), item description as per PO, Quantity, Rate, Value, applicable taxes with nomenclature (like IGST, SGST, CGST & UTGST) separately, HSN/ SAC Code, etc.
- c. All invoices shall bear the HSN Code for each item separately (Harmonized System of Nomenclature)/ SAC code (Services Accounting Code).
  - d. Invoices will be processed only upon completion of statutory requirement and further subject to following:
    1. Vendor declaring such invoice in Form GST ANX-1
    2. Receipt of Goods or Services and Tax invoice by BHEL
  - e. As the continuous uploading of tax invoices in GSTN portal (in GST ANX-1) is available for all (i.e. both Small & Large) tax payers under proposed new GST Return System, all invoices raised on BHEL may be uploaded immediately in GST portal on dispatch of material /rendering of services. The supplier shall ensure availability of Invoice in GST portal before submission of invoice to BHEL. Invoices will be admitted by BHEL only if the invoices are available in GSTN portal (in BHEL's GST ANX-2)
  - f. All documents like Mill Test Certificate, LR copy, Guarantee/Warranty certificate, work completion certificate, any other document mentioned in PO, shall be sent along with the vehicle/consignment. For all consignments received within the calendar month, input credit will be availed within that month in line with monthly returns filing cycle. In case of any discrepancy in the document or non-submission of documents mentioned in the PO, then BHEL will not be able to accept or account the material, in such case availing of tax credit will be deferred to next month or so.
  - g. In case of discrepancy in the data uploaded by supplier in the GSTN portal or in case of any shortages or rejection in the supply, then BHEL will not be able to avail the tax credit and will notify the supplier of the same. Supplier has to rectify the data discrepancy in the GSTN portal or issue credit note or debit note (details to be uploaded in GSTN portal) for the shortages or rejections in the supplies or additional claims, within the calendar month notified by BHEL.
  - h. In cases where invoice details have been uploaded by the vendor but failed to remit the GST amount to GST Department (Form PMT-08 or Form GST RET-01 to be submitted) within stipulated time, then GST paid on the invoices pertaining to the month for which GST return not filed by the vendor will be recovered from the vendor along with the applicable interest (currently 24% p.a) and all subsequent bills of the vendor will not be processed till filing of the GST return by the vendor.
  - i. In case GST credit is denied to BHEL due to non-receipt or delayed receipt of goods and/ or tax invoice or expiry of timeline prescribed in GST law for availing such ITC, or any other reasons not attributable to BHEL, GST amount claimed in the invoice shall be disallowed to the vendor.
  - j. Where any GST liability arising on BHEL under Reverse Charge (RCM), the vendor has to submit the invoices to BHEL well within the timeline prescribed in GST Law, to enable BHEL to discharge the GST liability. If there is a delay in submission of invoice by the vendor resulting in delayed payment of GST by BHEL along with Interest, then such Interest payable or paid shall be recovered from the vendor.
  - k. GST TDS will be deducted as per Section 51 of CGST Act 2017 and in line with Notification 50/2018 - Central Tax dated 13.09.2018. GST TDS certificate which will be generated in GST portal subsequent to vendor accepting the TDS deduction in the GST portal, will be issued to the vendor.
  - l. Any change in applicable rates of Tax or any other statutory levies (Direct / Indirect) or any new introduction of any levy by means of statute and its corresponding liability for the deliveries beyond the agreed delivery date for reasons not attributable to BHEL will be to vendors account. BHEL will not reimburse the same and any subsequent claim

m in this respect will be summarily rejected.

9. **Breach of contract, Remedies and Termination:**

In case of breach of contract, wherever the value of security instruments like performance bank guarantee available with BHEL against the said contract is 10% of the contract value or more, such security instruments to the extent of 10% contract value will be encashed. In case the value of the security instruments available is less than 10% of the contract value, the balance amount will be recovered in all or any of the following manners:

- a. from dues available in the form of Bills payable to defaulted supplier against the same contract.
- b. from the dues payable to defaulted supplier against other contracts in the same Region/Unit /any other region/unit
- c. In-case recoveries are not possible with any of the above available options, Legal action shall be initiated for recovery against defaulted supplier.

Further, levy of liquidated damages, debarment, termination, de-scoping, short-closure, etc., will be applied as per provisions of the contract.

10. **Conflict of Interest among Bidders/ Agents :**

A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Procuring Entity's interests. **The bidder found to have a conflict of interest shall be disqualified.** A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:

- a. they have controlling partner (s) in common; or
- b. they receive or have received any direct or indirect subsidy/financial stake from any of them, or
- c. they have the same legal/representative/agent for purposes of this bid; or
- d. they have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on. the bid of another Bidder, or
- e. Bidder participates in more than one bid in this bidding process. Participation by a Bidder in more than. one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/ sub-assembly/ Assemblies from one bidding manufacturer in more than one bid; or
- f. In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorise only one agent/dealer. There can be only one bid from the following:
  - a. The principal manufacturer directly or through one Indian agent on his behalf ; and
  - b. Indian/foreign agent on behalf of only one principal; **or**
- g. A Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid; **or**
- h. In case of a holding company having more than one independently manufacturing units, or more than one unit having common business ownership/management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/ common business/ management units in same/ similar line of business. "

11. **Set-off Clause:** BHEL shall have the right to recover any money which in the sole opinion

on of BHEL is due from the Contractor from any money due to the Contractor under this Contract or any other contract or from the Security Deposit furnished by the Contractor under this Contract or any other contract

12. **Cartel Formation:** All the firms should desist from forming cartel as the practice is prohibited under Section 3(3) (a) & (d) of the competition Act 2002. If any such instance is observed during this tender will attract disciplinary action as per BHEL policies.

13. **Fraud Prevention Policy:** Bidder along with its associate /collaborators /sub-contractors /sub-vendors / consultants / service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

14. Liquidated damages shall be as per GeM terms and conditions. LD will be reckoned from the date of receipt of vehicle at BHEL/stores.

15. The offers of the bidders who are under suspension as also the offers of the bidders, who engage the services of the banned firms, shall be rejected. The list of banned firms is available on BHEL web site [www.bhel.com](http://www.bhel.com).

**16. Resolution of Disputes:**

The Parties agree that if at any time (whether before, during or after the arbitral or judicial proceedings), any Disputes (which term shall mean and include any dispute, difference, question or disagreement arising in connection with construction, meaning, operation, effect, interpretation or breach of the contract/tender which the Parties are unable to settle mutually), arise inter-se the Parties, the same may, be referred by either party to Conciliation to be conducted through Independent Experts Committee to be appointed by competent authority of BHEL from the BHEL Panel of Conciliators.

**Notes:**

- i. No serving or a retired employee of BHEL/Administrative Ministry of BHEL shall be included in the BHEL Panel of Conciliators.
- ii. Any other person(s) can be appointed as Conciliator(s) who is/are mutually agreeable to both the parties from outside the BHEL Panel of Conciliators.

The proceedings of Conciliation shall broadly be governed by Part-III of the Arbitration and Conciliation Act 1996 or any statutory modification thereof and as provided in Annexure X to these Terms and conditions.

The Annexure X together with its appendices will be treated as if the same is part and parcel hereof and shall be as effectual as if set out herein in these terms and conditions.

Except as provided elsewhere in this Contract, in case amicable settlement is not reached between the parties, in respect of any dispute or difference; arising out of the formation, breach, termination, validity or execution of the Contract; or, the respective rights and liabilities of the Parties; or, in relation to interpretation of any provision of the Contract; or, in any manner touching upon the Contract, then, either Party may, by a notice in writing to other Party, refer such dispute or difference to sole arbitration of an arbitrator appointed as per the Arbitration and Conciliation Act, 1996 (India) or statutory modification or re-enactment thereof and the rules made thereunder and for the time being in force.

The Arbitrator shall pass a reasoned award and the award of the Arbitrator shall be final and binding upon the parties.

This contract shall be governed, construed and interpreted in accordance with the laws of India.

Subject as aforesaid, the provisions of Arbitration & Conciliation Act 1996 (India) or statutory modification or re-enactment thereof and the rules made thereunder and for the time being in force shall apply to the arbitration proceeding under this clause.

The seat of arbitration shall be Trichy, Tamil Nadu, India

The cost of arbitration shall be borne as per the award of the Arbitrator.



Subject to arbitration in terms of clause above, the Courts at Trichy, Tamil Nadu, India shall have exclusive jurisdiction over any matter arising out of or in connection with this Contract.

Notwithstanding the existence or any dispute or difference and/or reference for the arbitration, the vendor/contractor shall proceed with and continue without hindrance the performance of its obligation under this Contract with due diligence and expedition in a professional manner except where the Contract has been terminated by either Party in terms of this Contract.

**In Case of Contract with Public Sector Enterprise (PSE) or a Government Department, the following shall be applicable:**

In the event of any dispute or difference relating to the interpretation and application of the provisions of commercial contract(s) between Central Public Sector Enterprises (CPSEs)/Port Trusts inter se and also between CPSEs and Government Departments/Organizations (Excluding disputes concerning Railways, Income Tax, Customs & Excise Departments, such dispute or difference shall be taken up by either party for its resolution through AMRCD as mentioned in DPE OM No.05/003/2019-FTS-10937 dtd. 14<sup>TH</sup> December, 2022 and the decision of AMRCD on the said dispute will be binding on both the parties.”

3. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

MANAGER /  
BHEL STORES / WARD 22  
/ HIGH PRESSURE BOILER PLANT  
BHARAT HEAVY ELECTRICALS LIMITED,  
TIRUCHIRAPALLI - 620014 TAMILNADU

4. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Generic**

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

6. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

## 7. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## 8. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 9. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

## 10. Warranty

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of

this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**