

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	08-06-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	08-06-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Directorate Of Purchase And Stores
Office Name/कार्यालय का नाम	Directorate Of Purchase And Stores
Total Quantity/कुल मात्रा	19
Item Category/मद केटेगरी	M 2 SN Normal Probe, 24 mm dia 2 MHz. with BNC Connector with Calibration Certificate , MM 4 SN Miniature Normal Probe, 10 mm dia, 4 MHz. with Mini Lemo connector with Calibration Certificate , MBW 45 N4 Miniature angle Probe 8 X 9 mm 45 Deg., 4 MHz. with Mini Lemo Connector with Calibration Certificate , MBW 60 N4 Miniature angle Probe 8 X 9 mm 60 Deg. ,4 MHz with Mini Lemo Connector with Calibration Certificate , MBW 70 N4 Miniature angle Probe 8 X 9 mm 70 Deg. ,4 MHz. with Mini Lemo Connector with Calibration Certificate , Angle probe 14 x 14 mm 45 Deg 2 MHz. with Mini Lemo Connector with Calibration Certificate , Angle probe 14 x 14 mm 60 Deg 2 MHz. with Mini Lemo Connector with Calibration Certificate , Angle probe 14 x 14 mm 70 Deg 2 MHz. with Mini Lemo Connector with Calibration Certificate , MKM 5M Angle probe, 10 mm dia 5 MHz. Freq. Fitted with Top entry Mini Lemo socket with Calibration Certificate , MCC Curvature Wedge, 45 Deg. For MKM Probes for scanning 2 inch Dia Pipe with Calibration Certificate , MCC Curvature Wedge, 70 Deg. For MKM Probes for scanning 2 inch Dia Pipe with Calibration Certificate , MMEB 4H Miniature Dual T R Crystal Probe, 10 mm, 4 MHz. with Mini Lemo Connector with Calibration Certificate , MPKBL 2 Probe Cable BNC to Mini Lemo, 2 Meters , MMPKLL 2 Probe Cable Mini Lemo to Mini Lemo 2 Meters , MMPKLL 2 D Dual Probe cable Mini lemo to Mini Lemo 2 mtrs
BOQ Title/बीओक्यू शीर्षक	Supply of spare Probes along with cable suitable for Ultrasonic flaw detector of Make Modsonic
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	M 2 SN Normal Probe, 24 mm dia 2 MHz. with BNC Connector with Calibration Certificate
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

M 2 SN Normal Probe, 24 Mm Dia 2 MHz. With BNC Connector With Calibration Certificate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MM 4 SN Miniature Normal Probe, 10 Mm Dia, 4 MHz. With Mini Lemo Connector With Calibration Certificate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MBW 45 N4 Miniature Angle Probe 8 X 9 Mm 45 Deg., 4 MHz. With Mini Lemo Connector With Calibration Certificate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MBW 60 N4 Miniature Angle Probe 8 X 9 Mm 60 Deg. ,4 MHz With Mini Lemo Connector With Calibration Certificate**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MBW 70 N4 Miniature Angle Probe 8 X 9 Mm 70 Deg. ,4 MHz. With Mini Lemo Connector With Calibration Certificate**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

Angle Probe 14 X 14 Mm 45 Deg 2 MHz. With Mini Lemo Connector With Calibration Certificate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

Angle Probe 14 X 14 Mm 60 Deg 2 MHz. With Mini Lemo Connector With Calibration Certificate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

Angle Probe 14 X 14 Mm 70 Deg 2 MHz. With Mini Lemo Connector With Calibration Certificate**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MKM 5M Angle Probe, 10 Mm Dia 5 MHz. Freq. Fitted With Top Entry Mini Lemo Socket With Calibration Certificate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MCC Curvature Wedge, 45 Deg. For MKM Probes For Scanning 2 Inch Dia Pipe With Calibration Certificate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MCC Curvature Wedge, 70 Deg. For MKM Probes For Scanning 2 Inch Dia Pipe With Calibration Certificate**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MMEB 4H Miniature Dual T R Crystal Probe, 10 Mm, 4 MHz. With Mini Lemo Connector With Calibration Certificate**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	1	90

MPKBL 2 Probe Cable BNC To Mini Lemo, 2 Meters

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	2	90

MMPKLL 2 Probe Cable Mini Lemo To Mini Lemo 2 Meters

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	3	90

MMPKLL 2 D Dual Probe Cable Mini Lemo To Mini Lemo 2 Mtrs

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjaykumar Ganpat Kamble	323303,Stores Unit, Heavy Water Plant (Kota), PO ANUSHAKTI VIA KOTA	2	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3. Generic

Scope of supply includes Training: Number of employees to be trained

04

, Place for Training

At Purchaser's Premises

and Duration of training

01

days.

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

CASE FILE REFERENCE NO. :- DPS/CPU/10/D3/5002 -PAC BIDDING

THE REQUIREMENT IS FOR SPECIFIC MAKE - M/s Modsonic Instruments Mfg. Co.(P) Ltd., Ahmadabad MAKE/MODEL- Arjun-30. NO OTHER MAKE / MODEL IS ACCEPTABLE.

PROPRIETARY ARTICLE CERTIFICATE IS ATTACHED.

Quotation is invited only from M/s Modsonic Instruments Mfg. Co.(P) Ltd., Ahmadabad . No Other bidder should quote

As per Govt. public procurement policy, bidder shall submit the following self declaration certificates (Annexure-XII) in bidder's letterhead:

i) Annexure- XII (Eligibility Declarations), Self declaration certificate for the bidders from a country which have land border sharing with India as per the proforma attached.

The bidder shall upload above Annexure XII duly filled, clearly indicating the buyer's tender enquiry number and bidder's reference number, stamped & signed, by authorized signatory along with the bid documents, failing which the offer shall be summarily rejected.

THE SUPPLIER SHALL BE LIABLE TO FOLLOW THE SECURITY FORMALITIES OF THE DEPARTMENT. THE DRIVER OF THE VEHICLE & THE PERSON ACCOMPANYING SHOULD HAVE VALID ID PROOF/PAN CARD WITHOUT WHICH THEY CANNOT ENTER PURCHASER'S PREMISES. ELECTRONIC EQUIPMENTS LIKE MOBILE PHONES, CAMERAS, PEN DRIVES, SIM CARDS, MUSIC PLAYERS ETC ARE NOT ALLOWED. IF GPRS SYSTEM IS INSTALLED IN THE VEHICLE THE DECLARATION IN THIS REGARD TO BE SEND TO CONSIGNEE EACH TIME AND THE

SAME SHALL BE DEACTIVATED BEFORE ENTERING PURCHASER'S PREMISES.

IT WOULD BE THE RESPONSIBILITY OF THE CONTRACTOR TO ARRANGE POLICE VERIFICATION CERTIFICATE FOR HIS WORKMEN/TECHNICIANS/ENGINEERS TO ENABLE CARRYING OUT INSTALLATION/ERECTION COMMISSIONING OF THE INSTRUMENT/EQUIPMENT/PLANT INSIDE THE PURCHASER'S PREMISES.

THE PACKAGES AGAINST THE CONSIGNMENTS BEING SUPPLIED SHOULD INVARIABLY CONTAIN GEM CONTRACT NUMBER ALONG WITH OTHER RELEVANT DETAILS.

THE PERSON/TRANSPORT CONTRACTOR WHO WILL BE DELIVERING THE MATERIAL SHOULD INVARIABLY CALL ON/REPORT TO THE STORE KEEPER IN CHARGE. VEHICLES WITH GPS FACILITY WILL NOT BE ALLOWED ENTRY INSIDE PURCHASER'S PREMISES. IN VIEW OF THE ABOVE, THE CONSIGNMENTS SHOULD BE DISPATCHED ONLY THROUGH VEHICLES WITHOUT GPS SYSTEM.

ALL THE DOCUMENTS UPLOADED SHOULD BE ON THE BIDDER'S LETTERHEAD. DOCUMENTS CLEARLY SPECIFYING THE ACCEPTANCE OF ALL THE TECHNICAL SPECIFICATIONS, ADDITIONAL SPECIFICATION PARAMETERS AND TERMS & CONDITIONS SHOULD BE UPLOADED.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in

the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---