

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|--|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 24-06-2024 18:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 24-06-2024 18:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 180 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Defence |
| Department Name/विभाग का नाम | Department Of Military Affairs |
| Organisation Name/संगठन का नाम | Indian Army |
| Office Name/कार्यालय का नाम | ***** |
| Total Quantity/कुल मात्रा | 3188 |
| Item Category/मद केटेगरी | Workstation (Q2) , All in One PC (Q2) , Online UPS (V2) (Q2) , Cat 6 Cable for Indoor Use (Q2) , Layer 2 Access Switch (V2) (Q2) , Cat 6 Patch cord (Q2) , Connector Mounting Hardware - Multi Plug (Q3) |
| Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) | 8 Lakh (s) |
| OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) | 8 Lakh (s) |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 3 Year (s) |
| MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है | Yes |
| Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है | Yes |

| Bid Details/बिड विवरण | |
|---|---|
| Document required from seller/विक्रेता से मांगे गए दस्तावेज | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Past Performance/विगत प्रदर्शन | 80 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | Yes |
| RA Qualification Rule | 50% Lowest Priced Technically Qualified Bidders |
| RCM Applicable/लागू आरसीएम | Yes |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | Workstation |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है। | Yes |

EMD Detail/ईएमडी विवरण

| | |
|-----------------------------|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| EMD Amount/ईएमडी राशि | 50000 |

ePBG Detail/ईपीबीजी विवरण

| | |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%) | 3.00 |
| Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने). | 38 |

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं।

एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

CAPT

HQ 27 Mtn Arty Bde, Department of Military Affairs, Indian Army, Ministry of Defence
(Saurabh Gangwar)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--|-----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--|-----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier

as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Section 9(3) Of GST/जीएसटी की धारा 9(3)।

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Workstation (2 pieces)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| Type | Form Factor | Mobile - Standard, Mobile - Detachable, Mobile - Convertible, Mobile - Ultra Small Form Factor, Desktop, Rack - 1U, Rack - 2U |
| Processor | Processor Make | Intel |
| | Processor Generation | 7, 8, 9, NA, 10, 11, 12, 13 Or higher |
| | Number of Cores per Processor | 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 64, 36, 56 Or higher |
| | Processor Base Frequency (GHz) | 3.9, 4, 4.1, 4.2, 4.3, 5.2 Or higher |
| | Processor Description | Intel Core i3, Intel Core i5, Intel Core i7, Intel Core i9, Intel Xeon E Series, Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series, AMD Ryzen Threadripper Or higher |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|--|
| | Processor Number | Intel Xeon W-2133, Intel Xeon W-2155, Intel Xeon W-2175, Intel Xeon W-2195, Intel Xeon E-2236, Intel Xeon E-2246G, Intel Xeon E-2276G, Intel Xeon E-2278G, Intel Xeon E-2286G, Intel Xeon E-2288G, Intel Xeon W-3223, Intel Xeon W-3225, Intel Xeon W-3235, Intel Xeon W-3245, Intel Xeon W-3245M, Intel Xeon W-3265, Intel Xeon W-3265M, Intel Xeon W-3275, Intel Xeon W-3275M, Intel Xeon W-2235, Intel Xeon W-2255, Intel Xeon W 10855M, Intel Xeon W 10885M, Intel Xeon W 1290P, Intel Xeon W 1290, Intel Xeon W 1270P, Intel Xeon W 1270, Intel Xeon W 1250P, Intel Xeon W 1250, Intel Xeon W-2245, Intel Xeon W-2265, Intel Xeon W-2275, Intel Xeon W-2295, Xeon 2286M, Xeon 2276M, Intel Xeon W 1390P, Intel Xeon W 1390, Intel Xeon W 1370P, Intel Xeon W 1370, Intel Xeon W 1350P, Intel Xeon W 1350, Intel Xeon W9 3495X, Intel Xeon W9 3475X, Intel Xeon W7 3465X, Intel Xeon W7 2495X, Intel Xeon W7 3455, Intel Xeon W 3375, Intel Xeon W5 2465X, Intel Xeon W5 3435X, Intel Xeon W 3365, Intel Xeon W 3335, Intel Xeon W7 2475X, Intel Xeon W5 2455X, Intel Xeon W 3323, Intel Xeon W 3345, Intel Xeon W3 2435, Intel Xeon W5 3423, Intel Xeon W5 3425, Intel Xeon W7 3445, Intel Xeon W5 3433, Intel Xeon W5 2445, Intel Xeon W3 2425, Intel Xeon W3 2423, Intel Xeon w9-3495X, Intel Xeon w9-3475X, Intel Xeon w7-3465X, Intel Xeon w7-2495X, Intel Xeon w7-3455, Intel Xeon W-3375, Intel Xeon w5-2465X, Intel Xeon w5-3435X, Intel Xeon W-3365, Intel Xeon W-3335, Intel Xeon w5-2455X, Intel Xeon W-3323, Intel Xeon W-3345, Intel Xeon w3-2435, Intel Xeon w5-3423, Intel Xeon w5-3425, Intel Xeon w7-3445, Intel Xeon w5-3433, Intel Xeon w5-2445, Intel Xeon w3-2425, Intel Xeon w3-2423 Or higher |
| | Number of Sockets populated with the Processors | 1, 2 Or higher |
| Motherboard | Chipset Number | Intel C236, Intel C246, Intel CM246, Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299, Intel HM 175, Integrated, Intel W480, Intel WM490, Intel W580, Intel H570, Intel W680, Integrated SoC, Intel B660, Intel Q670, Intel W790, Intel C741, AMD X399, AMD WRX80, AMD B550 Or higher |
| Graphics | Graphics Type | Integrated, Dedicated/Discrete |
| | Number of Graphic Cards | 0, 1, 2, 3, 4 Or higher |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-----------------------------|---|---|
| | Graphic Card Description | nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB, nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, NVIDIA RTX A4000 16GB 4DP GFX, NVIDIA T1000 8GB, NVIDIA RTX A2000 12GB, NVIDIA RTX A4000 16GB, NVIDIA RTX A4500 20GB, NVIDIA RTX A5000 24GB, NVIDIA RTX A5500 24GB, NVIDIA RTX A6000 48GB, NVIDIA Long-Life T1000E 8 GB 4mDP, NVIDIA RTX A2000 - 6GB, NVIDIA Long-Life RTX A2000E 12 GB 4mDP Graphics, NVIDIA GeForce RTX 3060 12 GB, NVIDIA GeForce RTX 3070 8 GB, NVIDIA GeForce RTX 3080 10 GB, NVIDIA RTX 6000 ADA Generation Or higher |
| Operating System | Operating System (Factory Pre-Loaded) | Windows 11 Professional |
| Memory | RAM Size (GB) | 64, 128, 256, 512, 1024, 2048, 3072, 4096, 96, 192, 384, 768, 1536 Or higher |
| | RAM Expandability upto using spare DIMM Slots (GB) | 512, 1024, 3072, 4096, 1536, 2048, 768 Or higher |
| Primary Storage /Boot Drive | Type of Drives used to populate the internal Bays | SATA, SAS, SSD, PCIe, NA |
| | RAID for Operating System | 0, 1, NA |
| | Capacity of each Drive (GB) | 128, 256, 300, 384, 500, 512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000, 0 Or higher |
| Secondary Storage | Type of Drives used to populate the Internal Bays | SATA, SAS, SSD, PCIe, NA |
| | Number of Internal Bays populated with SATA Drive | 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher |
| | Each SATA Drive Capacity (GB) | 2000, 4000, 8000, 6000 Or higher |
| | Total SATA Drive Capacity (GB) | 4000, 8000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000 Or higher |
| | Number of Internal Bays populated with SAS Drive | 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher |
| | Capacity of each SAS Drive (GB) | 300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher |
| | Total SAS Drive Capacity (GB) | 300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher |
| | Number of Internal Bays populated with SSD Drive | 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher |
| | Capacity of each SSD Drive (GB) | 128, 256, 512, 1024, 2048, 800, 0 Or higher |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|--|
| | Total SSD Capacity (GB) | 128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120, 3072 Or higher |
| | Number of Internal Bays populated with PCIe Drive | 0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher |
| | Capacity of each PCIe Drive (GB) | 128, 256, 512, 1024, 2048, 0 Or higher |
| | Total PCIe Drive Capacity (GB) | 128, 256, 512, 1024, 2048, 4096, 0, 1536, 6144 Or higher |
| RAID | Number of RAID Controller Ports | 2, 3, 4, 5, 6, 7, 8, 10, 0 Or higher |
| | Speed of RAID Controller Ports (Gbps) | 6, 12, 0 Or higher |
| Connectivity | Number of Ethernet Ports | 1, 2, 3, 4, 6 Or higher |
| | Wireless Connectivity | Yes, No Or higher |
| | If Yes, Type of Wireless Connectivity | Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA, Wi-Fi 6E AX211 BT 5.2, Wi-Fi 6 AX200 & BT 5.2, Wi-Fi 6 AX201 (2x2) and BT 5.2 Or higher |
| | Bluetooth Connectivity | Yes, No Or higher |
| | If Yes, Version of Bluetooth Available | 4, 4.1, 4.2, 5, 0 Or higher |
| Display | Display Availability | Integrated, Monitor, NA |
| | Display Size (cm) | 35 - 39, 40 - 44, 45 - 49, 49.5 - 53.5, 54 - 56, 58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130, NA Or higher |
| | Display Type | Non Touch, Touch, NA Or higher |
| | Panel Type | Flat, Curved, NA Or higher |
| | Panel Technology | IPS, TN, VA, OLED, NA Or higher |
| | Display Resolution (Pixels) | 1366x768, 1440 x 900, 1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320, NA Or higher |
| Power | Redundant Power Supply | Yes, No Or higher |
| Warranty | On Site OEM Warranty (Year) | 1, 2, 3, 4, 5 Or higher |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|----------------------------|---|---|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 2 | 45 |

All In One PC (5 pieces)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|------------------|--|--|
| Motherboard | Chipset Series | Intel H Series, Intel B Series, Intel Q Series, Intel Z Series Or higher |
| | Chipset Number | Intel Q 370, Intel Q470, Intel Q570, Intel Q670 Or higher |
| Processor | Processor Make | Intel |
| | Processor Generation | 13.0 Or higher |
| | Number of Cores per Processor | 16, 24, 22 Or higher |
| | Processor Description | Intel Core i7, Intel Core i9 Or higher |
| | Processor Number | Intel Core i9 13900, Intel Core i7 13700 Or higher |
| Graphics | Size of Memory in Case of Dedicated Graphic Card (GB) | 0, 1, 2, 3, 4, 8 Or higher |
| Operating System | Operating System (Factory Pre-Loaded) | Windows 11 Professional |
| Memory | RAM Size (GB) | 16, 32, 64 Or higher |
| | RAM Expandability up to(using spare DIMM Slots in GB) | 8, 16, 32, 64, 0 Or higher |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|---|
| Storage | Type of Drives used to populate the Internal Bays | HDD, SSD, PCIe_SSD |
| | Total HDD Capacity (GB) | 500, 1000, 1500, 2000, 2500, 3000, 0 Or higher |
| | Total SSD Capacity (GB) | 512, 768, 1024, 2048, 4096 Or higher |
| Display | Display Size (INCHES) | 18.5, 19.5, 20, 21.5, 22, 23.6, 23.8, 27, 34, 37.5 Or higher |
| | Display Type | Non Touch, Touch Or higher |
| | Panel Technology | IPS, TN, VA, WVA Or higher |
| | Display Resolution (PIXELS) | 1366x768, 1440 x 900, 1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 3440 x 1440, 4096x2304, 5120x2880 Or higher |
| | Availability of Webcam integrated with Display | Yes, No |
| Warranty | On Site OEM Warranty (Year) | 1, 3, 5 Or higher |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|----------------------------|---|--|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 5 | 45 |

Online UPS (V2) (7 pieces)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

| Bis Required | | Yes |
|---|--|--|
| Technical Specifications/तकनीकी विशिष्टियाँ | | |
| <u>* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार</u> | | |
| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
| Generic | Rating in KVA | 1.0 KVA |
| | Switching Technology | IGBT-PWM |
| | Input Voltage | AC Single phase 160V - 260V 50Hz |
| | Output Voltage | AC Single phase 230V +/-1% 50 Hz, AC 3 Phase 400V +/-1% with alternative user settable setting of 380V +/-1% 50 Hz, AC 3 phase 415V having a variable setting the range starting from 380 volt - variable upto to 415 volt. |
| | Warranty for UPS (Years) | 1, 2, 3, 4, 5 Or higher |
| Battery/Backup Bank | Battery/Backup Bank Provided with Online UPS (Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021) | With Battery |
| | Type of Battery (hint: NA in case Battery not provided) | SMF-VRLA conforming to JISC:8702(Pt.I,II&III), Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest, Stationary Cells and Batteries, Lead Acid type (with tubular positive plates) conforming to IS:1651:1991 latest |
| | Backup time (Minutes) (hint: NA in case battery not provided) | 60 Minutes, 120 Minutes |
| | Warranty for battery (Years) by Battery Manufucaturer/Brand hint: NA in case battery not provided | 2, 3 Or higher |
| Performance / Functional | Inbuilt isolation transformer | With, Without |
| | Overall Efficiency (%) | >/=80% & <90% with Inbuilt isolation transformer, >/=90% with Inbuilt isolation transformer, >/=90% & <94% without Inbuilt isolation transformer, >/=94% without Inbuilt isolation transformer |
| | Overload limit | 20% Overload for minimum 10 minute, 20% Overload for minimum 5 minute, 50% Overload for minimum 1 minute, 50% Overload for minimum 3 seconds |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-----------------------|--------------------------------------|--|
| Accessories | Accessories | Rack for Batteries, Cabling 6 meters (input upto 3m and output upto 3m), Paralleling kit (Hot Standby Configuration), Paralleling kit for synchronizing (Parallel Redundant Load Sharing Configuration), SNMP Card (with Suitable Software) for communication, The UPS shall be complete with Trolley for battery bank,battery, Cables and connectors etc, NA |
| Design / Construction | Type of Design / Construction | Floor Standing, Rack Mountable |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|----------------------------|---|---|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 7 | 90 |

Cat 6 Cable For Indoor Use (2135 meter)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
|---------------|------------------------------------|--|

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|----------------|--|---|
| GENERIC | Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshielded twisted pair or Category 6 Shielded /Foiled Twisted Pair | CAT6 S/FTP |
| | Cable colour | White, Blue, Red, Yellow, Green, Grey, Violet |
| | Conductor diameter | 0.57 mm (23 AWG) |
| | Length of cable in a bundle (Mtrs) | 305 mtrs. |
| CONSTRUCTIONAL | Cable jacket material | Low Smoke zero halogen (LSZH), Fire retardant PVC, LSZH with fire retardant |
| CERTIFICATIONS | UL Marking on Cable | Yes, No |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicabl e/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|-----------------------------|---|--|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 2135 | 15 |

Layer 2 Access Switch (V2) (10 pieces)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---------------------------------------|---|
| Specification | Type of Switch | Web Managed |
| | Technology | PoE, PoE+ |
| | Number of 1G Copper Ports | 8 |
| | Multi-Gigabit Support | Yes, No |
| | Redundant Power supply (from day one) | Available, Not Available, Supported and Part of Supply, Supported |
| | On Site OEM Warranty | 3 Year |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|----------------------------|---|--|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 10 | 45 |

Layer 2 Access Switch (V2) (6 pieces)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| Specification | Type of Switch | Managed |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---------------------------------------|---|
| | Technology | PoE, PoE+ |
| | Number of 1G Copper Ports | 16 |
| | Multi-Gigabit Support | Yes, No |
| | Redundant Power supply (from day one) | Available, Not Available, Supported and Part of Supply, Supported |
| | On Site OEM Warranty | 3 Year |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|----------------------------|---|---|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 6 | 45 |

Layer 2 Access Switch (V2) (3 pieces)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| Specification | Type of Switch | Web Managed |
| | Technology | PoE, PoE+ |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---------------------------------------|---|
| | Number of 1G Copper Ports | 24 |
| | Multi-Gigabit Support | Yes, No |
| | Redundant Power supply (from day one) | Available, Not Available, Supported and Part of Supply, Supported |
| | On Site OEM Warranty | 1 Year, 3 Year |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|----------------------------|---|---|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 3 | 45 |

Cat 6 Patch Cord (20 meter)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|--|
| GENERIC | Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair | CAT6 U/UTP |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|----------------|------------------------------------|---|
| | Patch cord colour | Blue |
| | Length of Patch cord (Mtrs) | 3.0 |
| CONSTRUCTIONAL | Cable jacket material | Low Smoke zero halogen (LSZH), Fire retardant PVC |
| | Storage temperature range | -20 deg.C to +60 deg.C, -20 deg.C to +70 deg.C, 0 deg.C to 50 deg.C |
| | Operating temperature range | -20 deg.C to +60 deg.C, -20 deg.C to +70 deg.C |
| CERTIFICATIONS | UL Marking on Cable | Yes, No |

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|----------------------------|---|--|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|--|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 20 | 15 |

Connector Mounting Hardware - Multi Plug (1000 pieces)

(Minimum 21% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| GENERIC | Input pin Rating (AMP) | 6 A |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
|---------------|------------------------------------|--|

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

| ITC on GST/जीएसटी पर इनपुट कर क्रेडिट | ITC on GST Cess/जीएसटी उपकर कर क्रेडिट | RCM Applicable/लागू आरसीएम | GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी | GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 | GST Cess 2 as per RCM | Optional RCM/वैकल्पिक रिवर्स प्रभार |
|---------------------------------------|--|----------------------------|---|---|-----------------------|-------------------------------------|
| NA | NA | Yes | 18% | NA | NA | No |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-----------------|-----------------|------------------------------|
| 1 | ***** | *****JALPAIGURI | 1000 | 15 |

Special terms and conditions-Version:1 effective from 06-07-2022 for category Online UPS (V2)

- In addition to General Terms and Conditions of GeM, the following Special T&C shall be applicable for Online UPS (Version 2.0) with reference to Installation and Commissioning.

Seller's Responsibility: Installation and Commissioning shall involve all the interconnections, any cabling between power source, switch boards within 3 metre range for input power and connecting Output power in the Scope of seller.

Buyer's Responsibility: Buyer will ensure well ventilated/covered site/room having requisite power points/distribution board to provide input power to UPS as well as to take out power from UPS within 3 metre of the location of UPS placement.

The above is not applicable for the stores supplied without installation and commissioning.

Note: The above is indicative and any incidental requirement related to above responsibilities shall also be considered in the responsibilities of Buyer/Seller as applicable.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at

following address

HQ 27 MTN ARTY BDE, C/O 99 APO
HQ 27 MTN ARTY BDE, C/O 99 APO
HQ 27 MTN ARTY BDE, C/O 99 APO
HQ 27 MTN ARTY BDE, C/O 99 APO
HQ 27 MTN ARTY BDE, C/O 99 APO

2. Warranty

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope

3 YEARS

(Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---