

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	04-06-2024 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	04-06-2024 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Power Grid Corporation Of India Limited
Organisation Name/संगठन का नाम	Power Grid Corporation Of India Limited
Office Name/कार्यालय का नाम	Corporate Office Gurgaon
Total Quantity/कुल मात्रा	3
Item Category/मद केटेगरी	Single / Double Bed - Wooden - With / Without Box (Q3) ( <b>PAC Only</b> ) , Centre Table (Q3) ( <b>PAC Only</b> ) , Foam Mattress (V2) (Q2) ( <b>PAC Only</b> )
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Single / Double Bed - Wooden - With / Without Box
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

**Bid Details/बिड विवरण****EMD Detail/ईएमडी विवरण**

Required/आवश्यकता

No

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता

No

**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता

No

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

**Details of the Competent Authority approval for PAC**Competent Authority Approval document for PAC : [View Document](#)

Name of Competent Authority	Sh ANUPAM KUMAR
Designation of Competent Authority	Sr. DGM
Office / Department / Division of Competent Authority	MM
CA Approval Number	4675
Competent Authority Approval Date	2023-12-26 00:00:00
Brief Description of the Approval Granted by Competent Authority	Rate contract with M/s Godrej & Boyce Mfg Co Ltd for purchase of furniture items/office equipment etc across India on source standardization basis.

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for

Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

### Single / Double Bed - Wooden - With / Without Box ( 1 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejinterioadrianaqueenbedwithoutstorage

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	<b>Material of Mattresses Panel</b>	Other wood
	<b>Material of Bottom Panel of Storage Box</b>	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	<b>Material of Front, Back and side Panels</b>	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	<b>Material of Headrest</b>	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	<b>Material of Legrest</b>	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
GENERIC	<b>Type of Bed</b>	Wooden Double Bed
	<b>Material of Bed Frame</b>	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Headrest provided	Yes
	Legrest provided	Yes
	Opening of Storage Box	WITHOUT STORAGE BOX
	Number of Openings (Nos)	1
	<b>Hydraulic System provided for Opening</b>	No
	Leg Details	metal legs
	Number of Supports under Bottom Panel of storage box (Nos)	5
DIMENSIONS	Mattress Fixing Length $\pm 10$ (mm)	2000
	<b>Mattress Fixing Width <math>\pm 10</math> (mm)</b>	1525

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Mattress Panel Height $\pm 5$ (mm)	200
	Depth of Storage Box in mm ( $\pm 10$ mm)	NO STORAGE
	Thickness of Mattresses Panel $\pm 1$ (mm)	19
	Thickness of Bottom Panel of Storage Box $\pm 1$ (mm)	19
	Thickness of Front, Back and Side Panels $\pm 2$ (mm)	18
	<b>Thickness of material of Headrest <math>\pm 2</math> (mm)</b>	18
	Overall Height of Headrest $\pm 5$ (mm)	900
	Length of Headrest $\pm 10$ (mm)	1525
	Thickness of material of Legrest $\pm 2$ (mm)	18
	<b>Overall Height of Legrest <math>\pm 5</math> (mm)</b>	450
	<b>Overall Length of Legrest <math>\pm 10</math> (mm)</b>	1525
	Size OF SUPPORT for Top Panel $\pm 2$ (mmxmm)	70x17
	Size of Supports on under Bottom Panel of storage box $\pm 2$ (mmxmm)	50 x 25
COLOUR & FINISHING	<b>Finish</b>	Laminated
	Colour of Paint	wood colour, N.A
	Colour of Lamination	plain
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1

Consignees/Reporting Officer/परेषितो/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	RAJU PEKA	530032,POWERGRID CORPORATION OF INDIA LIMITED, VIZAG HVDC SUB-STATION AND 400KV SUB STATION , SECTOR-10 UKKUNAGARAM,VISAKHAPATNA M	1	60

### Centre Table ( 1 pieces ) ( Under PAC )

Make	godrejinterio
Model	godrejinterioskylinesidecornertable

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of supply	Knocked down to be assembled at Consigning site by the seller
	Shape of the Centre table	Square
	Style of Centre Table	Trestle type (with a plank top & vertical planks on the side)
	Design of centre table	Multilayered centre table
	Number of storage under top	Double storage (one at upper portion and one at bottom portion)
MATERIAL	Top material	Tempered glass
	Frame material	Other wood
	Leg material	Other wood
	Material of Understructure supporting the top	Three layer prelaminated particles board(Wood product) of grade II type II of IS 12823/Latest
	Storage material	Other wood
	Shoes/Buffers Material	Nylon
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	609mm(Dia)
	Height of centre table ±10 mm	460.0 (millimeter)
	Thickness of top material (+/-2 mm)	18.0 (millimeter)

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of frame material (+/- 1 mm)	19.0 (millimeter)
	Width X Depth, or Diameter of leg material	No legs
	Thickness of understructure support material	18.0 (millimeter)
MISC	connecting of leg	N.A
	Number of buffers/shoes	Four number at bottom
COLOUR & FINISH	Table top finish	Glass top
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	RAJU PEKA	530032,POWERGRID CORPORATION OF INDIA LIMITED, VIZAG HVDC SUB-STATION AND 400KV SUB STATION , SECTOR-10 UKKUNAGARAM,VISAKHAPATNA M	1	60

**Foam Mattress (V2) ( 1 pieces ) ( Under PAC )**

Make	godrejinterio
Model	godrejelegenzaqueenmattress6inch

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Dimension	<b>Dimensions (Tolerance <math>\pm 15</math> mm)</b>	1981 mm x 1524 mm
Construction	<b>Number of Layers</b>	Four Layers
	<b>Thickness of Top Layer (<math>\pm 2</math> mm)</b>	25 mm
	<b>Thickness of Core Layer 1 (<math>\pm 2</math> mm)</b>	75 mm
	<b>Thickness of Core Layer 2 (<math>\pm 2</math> mm)</b>	50 mm
	<b>Thickness of Bottom Layer (<math>\pm 2</math> mm)</b>	25 mm
Material	<b>Material of Top Layer</b>	PU Foam
	<b>Material of Core Layer 1</b>	PU Bonded Foam
	<b>Material of Core Layer 2</b>	PU Bonded Foam
	<b>Material of Bottom Layer</b>	PU Foam
Quilting Foam	<b>Quilting</b>	Both Side Quilting (Double Sided)
	Quilting Material	PU Foam
	Density of Quilting Material ( $\pm 2$ Kg/m <sup>3</sup> )	18 Kg/m <sup>3</sup>
	Thickness of Quilting ( $\pm 2$ mm)	32 mm
Mattress Cover	<b>Fabric Composition</b>	Polyester-Cotton Blended (80:20)
	<b>Construction</b>	Knitted
	<b>Fabric Mass (Minimum)</b>	240 gm/m <sup>2</sup>
	Fabric Colour/Print/Pattern	Printed
	<b>Flame Resistant Fabric</b>	Not Applicable
Surface Finish	Surface Finish of Mattress	Without Convolution
Density	<b>Top Layer Density</b>	32 Kg/m <sup>3</sup>
	<b>Core Layer 1 Density</b>	80 Kg/m <sup>3</sup>
	<b>Core Layer 2 Density</b>	80 Kg/m <sup>3</sup>
	<b>Bottom Layer Density</b>	32 Kg/m <sup>3</sup>
Other Requirement	Mattress Top	Pillow Top

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Compression Set	<b>Compression Set for PU Foam (non quilting) as per IS 7888 1976 (Max)</b>	10%
	Compression Set for Rubberized Coir Foam (Max)	Not Applicable
	Compression Set for Latex (Max)	Not Applicable
Resistance to Ageing	Resistance to Ageing for PU Foam as per IS 7888 latest (max)	Shall meet the requirement of IS 7933 Latest
	Resistance to Ageing for Rubberized Coir Foam	Not Applicable
	Resistance to Ageing for Latex Foam	Not Applicable
Durability/Resistance to Flexing	Durability Test for PU Foam as per IS 7888 latest	Shall meet the requirement of IS 7933 Latest
	Resistance to Flexing for Rubberized Coir Foam	Not Applicable
	Flexing Test for Latex Foam	Not Applicable
	<b>Durability Test for Complete Mattress</b>	loss of height not more than 13 mm (as per ASTM 1566)
Warranty	<b>Warranty (In Years)</b>	1, 2, 3, 4, 5 Or higher
Departmental Logo	Logo Marking	No
	Type of Logo	Printed
Test Report	Availability of Test Report from NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available (Not applicable if Test Report is not available)	Yes

**Consignees/Reporting Officer/प्रेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	RAJU PEKA	530032,POWERGRID CORPORATION OF INDIA LIMITED, VIZAG HVDC SUB-STATION AND 400KV SUB STATION , SECTOR-10 UKKUNAGARAM,VISAKHAPATNA M	1	60

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.

13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**