

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	01-06-2024 15:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	01-06-2024 15:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	180 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Power
<b>Department Name/विभाग का नाम</b>	Power Grid Corporation Of India Limited
<b>Organisation Name/संगठन का नाम</b>	Power Grid Corporation Of India Limited
<b>Office Name/कार्यालय का नाम</b>	Corporate Office Gurgaon
<b>Total Quantity/कुल मात्रा</b>	206
<b>Item Category/मद केटेगरी</b>	Executive Table (V2) (Q3) ( <b>PAC Only</b> ) , Credenzas (Q3) ( <b>PAC Only</b> ) , Revolving Chair (V3) (Q2) ( <b>PAC Only</b> ) , Sofas (V2) (Q3) ( <b>PAC Only</b> ) , Centre Table (Q3) ( <b>PAC Only</b> ) , Modular Work Stations (V2) (Q3) ( <b>PAC Only</b> ) , Chair Office (V2) (Q3) ( <b>PAC Only</b> ) , Almirah Steel (V2) (Q3) ( <b>PAC Only</b> ) , Storage cum Filing Cabinet (Q3) ( <b>PAC Only</b> )
<b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>	No
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Single Packet Bid
<b>Primary product category</b>	Modular Work Stations (V2)
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

#### Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

#### Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : [View Document](#)

Name of Competent Authority	G P PAYASI
Designation of Competent Authority	CGM
Office / Department / Division of Competent Authority	(RAJASTHAN PROJECTS-JAIPUR-NR1))
CA Approval Number	808413
Competent Authority Approval Date	2024-05-16 00:00:00
Brief Description of the Approval Granted by Competent Authority	Supply cum Installation of Godrej make furniture for new office building of Rajasthan State Project office - through GeM PAC Bidding.

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is

made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

## Executive Table (V2) ( 1 pieces ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinterioaristotablewitheru

## Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure /Frame of table</b>	Two legs with modesty panel
	<b>The type of Storage provided</b>	Both side pedestal unit
	<b>Keyboard tray</b>	Not provided
	<b>Footrest</b>	Not Provided
MATERIAL	<b>Tabletop Material</b>	Prelaminated MDF board
	<b>Thickness of table top material (± 1 mm)</b>	25 mm
	<b>Gable end material</b>	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	<b>The thickness of the gable end</b>	NA
	<b>Modesty panel material</b>	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	<b>The thickness of the modesty panel material</b>	18 mm

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Leg Material	Mild Steel (MS) ERW
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop $\pm 10$ mm	2400 mm
	Depth of table $\pm 10$ mm	915 mm
	Height of table $\pm 10$ mm	750 mm
	Size (L x W) /diameter of leg material $\pm 5$ mm	25 mm
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Minimum 0.8 to 1 mm PVC membrane finish
	Tabletop shade	Natural Shade
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	1	60

**Credenzas ( 1 pieces ) ( Under PAC )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
------	---------------

Model	godrejinterioaristobckunt2350w750h
-------	------------------------------------

# **Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Mode of supply</b>	Knocked Down to be assembled at consignee site by the seller
	<b>Design of credenza unit</b>	Compartments(With Shelves) only
	<b>Number of drawers</b>	N.A
	<b>Number of compartments with shelves</b>	Two Nos
	<b>Number of shelves in each compartment</b>	One Nos
	<b>Number of compartment without shelves</b>	N.A
	<b>Number of partition for compartment</b>	One Nos
	<b>Number of compartment in each partition</b>	N.A
	<b>Type of doors for compartments</b>	Sliding shutter
	<b>Number of doors</b>	Two Nos
MATERIAL & MATERIAL THICKNESS	<b>Material specification</b>	Flat single layer prelaminated MDF board conforming to designation PLMDF-203 of IS 14587/Latest having balancing laminated of 0.5mm thick on other side
	<b>Material thickness of complete body,Fascia and drawer/compartament</b>	25, 38 Or higher ( <b>millimeter</b> )
	<b>Material thickness for back, partition and drawer bottom/compartament shelves ±2mm</b>	25, 38 Or higher ( <b>millimeter</b> )
	<b>Skirting Thickness</b>	12, 15, 19 Or higher ( <b>millimeter</b> )
	<b>All plain panels edge to be banded</b>	With 0.8-1.0 mm thick PVC tape with the help of hot melt glue
DIMENSION	<b>Width of credenza unit ± 20mm</b>	2200 mm
	<b>Height of credenza unit ±20 mm</b>	750 mm
	<b>Depth of credenza unit ±20mm</b>	510 mm
MISC	<b>Locking System provided</b>	YES

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	1	60

**Revolving Chair (V3) ( 1 pieces ) ( Under PAC )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriolasedehighbackchair

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Tilt mechanism</b>	Synchronic tilt mechanism
	<b>Locking mechanism</b>	Tilt limiter
	<b>Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation</b>	Adjustable (up and down)
	<b>Backrest type</b>	Tilting type
MATERIAL AND MATERIAL THICKNESS	<b>Pedestal Base</b>	Aluminium die Cast
	<b>Armrest Material</b>	PU molded over plastic inner
	<b>Minimum density of foam used in seat</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in seat</b>	30 mm
	<b>Seat upholstery material</b>	Leather
	<b>Backrest base frame material</b>	Hot pressed plywood
	<b>Padding at backrest</b>	PU foam
	<b>The minimum density of foam used in the backrest</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in backrest</b>	30 mm
	<b>Backrest upholstery material</b>	Leather
	<b>Upholstery material thickness /fabric substance used in seat /backrest</b>	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	<b>Minimum width of seat</b>	450 mm
	<b>Minimum depth of seat</b>	450 mm
	<b>Minimum width of backrest</b>	450 mm
	<b>Backrest height</b>	High back (551 and above)
	<b>Minimum thickness of MS Plate Joining the understructure with Seat</b>	2 mm
	<b>Minimum pedestal size (diameter)</b>	650 mm
COLOUR AND FINISH	<b>Upholstered material seat color</b>	Black
	<b>Upholstered material backrest color</b>	Black

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	1	60

**Revolving Chair (V3) ( 4 pieces ) ( Under PAC )****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriolasedemidbackchair

**Technical Specifications/तकनीकी विशिष्टियाँ**\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Tilt mechanism</b>	Synchronic tilt mechanism
	<b>Locking mechanism</b>	Tilt limiter
	<b>Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation</b>	Adjustable (up and down)
	<b>Backrest type</b>	Tilting type
MATERIAL AND MATERIAL THICKNESS	<b>Pedestal Base</b>	Aluminium die Cast
	<b>Armrest Material</b>	PU molded over plastic inner
	<b>Minimum density of foam used in seat</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in seat</b>	30 mm
	<b>Seat upholstery material</b>	Leather



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Grey
	Upholstered material backrest color	Grey

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	4	60

## Sofas (V2) ( 4 pieces ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriopisa-3seatersofa

## Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (±1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	26

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm ( $\pm 5$ mm)	N.A
	Length of Two Seater Units in mm ( $\pm 10$ mm)	N.A
	Length of Three Seater Units in mm ( $\pm 10$ mm)	2050
	Length of Four Seater Units in mm ( $\pm 10$ mm)	N.A
	Depth of Sofa Units in mm ( $\pm 10$ mm)	900
	Sofa Height (Without Back Cushion) $\pm 5$ (mm)	700.0 (millimeter)
	Sofa Height (With Back Cushion) $\pm 5$ mm	850.0 (millimeter)
	Seat Cushion Length $\pm 5$ (mm)	1700
	Seat Cushion Width $\pm 5$ (mm)	530
	Seat Cushion Thickness $\pm 3$ (mm)	125
	Backrest Cushion Length $\pm 5$ (mm)	1150
	Backrest Cushion Width $\pm 5$ (mm)	400
WARRANTY	Warranty	1 - Year

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021,Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	4	60

### Centre Table ( 4 pieces ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriovictoriacoffeetable

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Number of storage under top	No storage
MATERIAL	Top material	Medium Density Fiberboard
	Frame material	Other wood
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) $\pm 20\text{mm}$	1194mmX584mm
	Height of centre table $\pm 10\text{ mm}$	460.0 (millimeter)
	Thickness of top material (+/- 2 mm)	18.0 (millimeter)
	Thickness of frame material (+/- 1 mm)	36.0 (millimeter)
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	4	60

### Centre Table ( 3 pieces ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinterioedwardcornertable

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Number of storage under top	No storage
MATERIAL	Top material	Medium Density Fiberboard
	Frame material	Other wood
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) $\pm 20\text{mm}$	609mm(Dia)
	Height of centre table $\pm 10\text{ mm}$	460.0 (millimeter)
	Thickness of top material (+/- 2 mm)	18.0 (millimeter)
	Thickness of frame material (+/- 1 mm)	36.0 (millimeter)
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	3	60

### Modular Work Stations (V2) ( 8 per seat ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriomodularworkstationwishpenta

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of system	Panel based system
	Type / Shape of cluster	Single Seater L Shape Cluster
CONSTRUCTION	Wire Management for electric switch	Above the table Top
INSTALLATION COMMISSIONING	INSTALLATION COMMISSIONING	The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
MATERIAL	Frame material for work station	Powder Coated Extruded Aluminium Sections
	Work top support material	Gable end made of prelaminated particle board
	Material of table top	Prelaminated particle board Grade II type II conforming to IS 12823/Latest
	Table top finish material	Paper based laminate
	Thickness of table top finish	NA
	Thickness of under table top finish	NA
	Material of tiles for top	Fabric tackable
	Material of intermediate tiles	Fabric upholstered with Foam and Prelaminated particle board
	Material of bottom tiles	Metal tile powder coated

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of leg	M.S
	Type of leg	Loop leg
	Screen/Divider Material	NA
	Overhead Storage Provided	No Overhead Storage
DIMENSION	Length of table top (main frame) $\pm 10$ mm	1500 mm
	Length of table top (Return Frame) $\pm 10$ mm	1500 mm
	Depth of table top $\pm 10$ mm	600 mm
	Thickness of table top $\pm 2$ mm	25 mm
	Overall height of work station partition $\pm 10$ mm	1200 mm
	Thickness of side partition/panel $\pm 2$ mm	50 mm
	Thickness of main frame $\pm 2$ mm	50 mm
	leg size/Section	40 mm x 40 mm
	Thickness of leg/section /material	16 gauge
KEYBOARD TRAY	Material of keyboard tray	CRCA
	Material thickness of keyboard tray	0.8 mm ( for metal)
PEDESTAL UNIT	Total number of Pedestal unit provided	1
	Construction of pedestal	Free standing full height with castor
	Total Number of drawers /storage in Pedestal units	Three drawers
CERTIFICATION	Test reports to be furnished to buyer on demand	No
WARRANTY	Warranty period	1 Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	8	60

### Executive Table (V2) ( 15 pieces ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	unitizedt25tablewithintegratedhdu

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Four legs with modesty panel
	The type of Storage provided	One side pedestal unit and E.R.U
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	NA
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	18 mm
	Leg Material	Mild Steel (MS) ERW
	The thickness of the Leg material	1.2 mm
DIMENSION	Width of tabletop ±10 mm	1500 mm
	Depth of table ±10 mm	750 mm



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	25 mm
EXTENDED RETURN UNIT	ERU unit consists of	1 storage unit with shutter
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Two drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Gray
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	15	60

**Executive Table (V2) ( 2 pieces ) ( Under PAC )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriofinnesse5026maintableeru

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Structure /Frame of table</b>	Gable end and modesty panel
	<b>The type of Storage provided</b>	One side E.R.U unit
	<b>Keyboard tray</b>	Not provided
	<b>Footrest</b>	Not Provided
MATERIAL	<b>Tabletop Material</b>	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	<b>Thickness of table top material (± 1 mm)</b>	25 mm
	<b>Gable end material</b>	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the gable end</b>	18 mm
	<b>Modesty panel material</b>	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the modesty panel material</b>	18 mm
	<b>Leg Material</b>	NA
	<b>The thickness of the Leg material</b>	NA
DIMENSION	<b>Width of tabletop ±10 mm</b>	1500 mm
	<b>Depth of table ±10 mm</b>	750 mm
	<b>Height of table ±10 mm</b>	750 mm
	<b>Size (L x W) /diameter of leg material ± 5 mm</b>	25 x 25 (mm)
EXTENDED RETURN UNIT	<b>ERU unit consists of</b>	1 drawer
PEDESTAL UNIT	<b>Total Number of drawers /storage in Pedestal units</b>	Three drawers
COLOUR AND FINISH	<b>Table top finish</b>	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	<b>Tabletop shade</b>	Peach
	<b>Table /ERU /Pedestal Panel Plain Side</b>	NA
WARRANTY	<b>Warranty period</b>	1 Year
CERTIFICATION	<b>Test reports to be furnished to the buyer on demand</b>	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	2	60

**Revolving Chair (V3) ( 7 pieces ) ( Under PAC )****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriomarvelhighback

**Technical Specifications/तकनीकी विशिष्टियाँ**[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leatherette

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	7	60

### Revolving Chair (V3) ( 46 pieces ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriomarvelmidback

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leatherette
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Grey
	Upholstered material backrest color	Black

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	46	60

**Chair Office (V2) ( 70 pieces ) ( Under PAC )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriomarvelvisitorchair

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Chair Type</b>	Non-Revolving and Non-Tilting chair with Armrest
	<b>Chair frame type</b>	Cantilever
	<b>Armrest type</b>	Continuous armrest
	<b>Seat type</b>	Padded
	<b>Backrest type</b>	Padded
CHAIR FRAME	<b>Frame Material Configuration</b>	One piece
	<b>Frame material</b>	Stainless Steel (SS 202)
SEAT FABRICATION	<b>Seat material</b>	Moulded Plywood
	<b>Seat material thickness</b>	40 mm
	<b>Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)</b>	45
	<b>Seat upholstered with</b>	Leatherette
	<b>GSM of seat cover (± 3 GSM)</b>	390 GSM
BACKREST FABRICATION	<b>Backrest material</b>	Moulded Plywood
	<b>Density of Polyurethane foam used in Backrest ( ±2 Kg/Cub Meter)</b>	45
	<b>Backrest upholstered with</b>	Leatherette
DIMENSION	<b>Seat Depth (± 5 mm)</b>	480 mm
	<b>Seat Width (± 5 mm)</b>	460 mm
	<b>Seat height from floor surface (± 5 mm)</b>	435 mm
	<b>Backrest width (± 5 mm)</b>	470 mm
	<b>Backrest height from seat (± 5 mm)</b>	480 mm
COLOUR AND FINISH	<b>Paint Type</b>	N.A
	<b>Polish Type</b>	N.A
	<b>Colour of Paint</b>	N.A
TEST REPORT AND CERTIFICATION	<b>Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification</b>	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Test reports to be furnished to buyer on demand	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	70	60

### **Almirah Steel (V2) ( 10 pieces ) ( Under PAC )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriostorwelplain

### **Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Technical specification of Almirah steel</b>	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	<b>Type of Almirah steel</b>	Almirah Steel shelving cabinets
	<b>Number of door</b>	2
	<b>Number of drawers required</b>	No Drawer
	<b>Number of shelves</b>	4
	<b>Colour of finish</b>	White
MATERIAL	<b>Steel sheet material</b>	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Sheet rounds and flats	N.A
DIMENSION	Almirah height(excluding the height of pedestal) $\pm$ 5 mm	1980 mm
	Almirah width $\pm$ 5 mm	920 mm
	Almirah depth $\pm$ 5 mm	480 mm
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm
	Shelves sheet thickness	0.7 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.6 mm
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK hable
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	10	60

### Almirah Steel (V2) ( 15 pieces ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriovsdu5woodentop

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Technical specification of Almirah steel</b>	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	<b>Type of Almirah steel</b>	Almirah Steel shelving cabinets
	<b>Number of door</b>	2
	<b>Number of drawers required</b>	No Drawer
	<b>Number of shelves</b>	3
	<b>Colour of finish</b>	White
MATERIAL	<b>Steel sheet material</b>	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	<b>Sheet rounds and flats</b>	N.A
DIMENSION	<b>Almirah height(excluding the height of pedestal) ± 5 mm</b>	1192 mm
	<b>Almirah width ± 5 mm</b>	900 mm
	<b>Almirah depth ± 5 mm</b>	430 mm
	<b>Side sheet thickness</b>	0.8 mm
	<b>Back sheet thickness</b>	0.8 mm
	<b>Top sheet thickness</b>	0.8 mm
	<b>Bottom sheet thickness</b>	0.8 mm
	<b>Shelves sheet thickness</b>	0.8 mm

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.6 mm
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Steel with zinc plated
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	15	60

**Sofas (V2) ( 3 pieces ) ( Under PAC )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriopisa-1seatersofa

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	1
	Number of Single Seater Units (Nos)	1
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size ( $\pm 1$ mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material $\pm 3$ (Kg/Cubic M)	26
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm ( $\pm 5$ mm)	800
	Length of Two Seater Units in mm ( $\pm 10$ mm)	N.A
	Length of Three Seater Units in mm ( $\pm 10$ mm)	N.A
	Length of Four Seater Units in mm ( $\pm 10$ mm)	N.A
	Depth of Sofa Units in mm ( $\pm 10$ mm)	900
	Sofa Height (Without Back Cushion) $\pm 5$ (mm)	700.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Sofa Height (With Back Cushion) $\pm 5$ mm	850.0 (millimeter)
	Seat Cushion Length $\pm 5$ (mm)	640
	Seat Cushion Width $\pm 5$ (mm)	530
	Seat Cushion Thickness $\pm 3$ (mm)	125
	Backrest Cushion Length $\pm 5$ (mm)	1150
	Backrest Cushion Width $\pm 5$ (mm)	400
WARRANTY	Warranty	1 - Year

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	3	60

**Storage Cum Filing Cabinet ( 5 pieces ) ( Under PAC )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrej4drawerverticalfilingcabinet

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Construction	Almirah having Sliding Doors
	Number of Adjustable Shelves in top part of almirah (Nos)	4
	No of File Storage Drawers at the bottom	4
	Sliding Mechanism for Drawers	Telescopic Slide
	Type of Locking (Doors and Drawers)	Central locking
	Delivery Condition of Sliding Door Storage Unit	Knock Down supply to be assembled by Seller at Consignee Site
MATERIAL	Material	M S Sheet
	Thickness of Top Pannel (mm)	0.7 mm thickness of MS sheet
	Thickness of Bottom Pannel (mm)	0.6 mm thickness of MS sheet
	Thickness of Back (mm)	0.7 mm thickness of MS sheet
	Thickness of side Pannels (mm)	0.7 mm thickness of MS sheet
	Thickness of Shelves Pannels (mm)	0.7 mm thickness of MS sheet
	Thickness of door Pannel (mm)	0.7 mm thickness of MS sheet
DIMENSION	Overall Height $\pm 10$ (mm)	1830.0 (millimeter)
COLOUR & FINISH	Paint	Powder Coating
WARRANTY	Warranty Period in number of years	1, 2, 3, 4, 5 Or higher

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021,Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	5	60

### Executive Table (V2) ( 2 pieces ) ( Under PAC )

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinterioaristo1650x1950x750maintable

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Two legs with modesty panel
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the modesty panel material	0.9 mm (for metal sheet)
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1650 mm
	Depth of table ±10 mm	915 mm
	Height of table ±10 mm	750 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Size (L x W) /diameter of leg material $\pm$ 5 mm	25 x 25 (mm)
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Minimum 0.8 to 1 mm PVC membrane finish
	Tabletop shade	Natural Shade
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	2	60

### **Executive Table (V2) ( 5 pieces ) ( Under PAC )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	unitizedt25tablewithintegratedhdut251800mm

### **Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Four legs with modesty panel
	The type of Storage provided	One side pedestal unit and E.R.U
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material ( $\pm 1$ mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	NA
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	18 mm
	Leg Material	Mild Steel (MS) ERW
	The thickness of the Leg material	1.2 mm
DIMENSION	Width of tabletop $\pm 10$ mm	1800 mm
	Depth of table $\pm 10$ mm	750 mm
	Height of table $\pm 10$ mm	750 mm
	Size (L x W) /diameter of leg material $\pm 5$ mm	25 x 25 (mm)
EXTENDED RETURN UNIT	ERU unit consists of	1 storage unit with shutter
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Two drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Gray
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lakhan Ram Meena	302021, Beawar Dausa Transmission Limited Address of Project In-Charge (order enclosed) - B-4/184, Chitrakoot Scheme, Near Pratap Stadium, Jaipur-302021	5	60

**Special terms and conditions-Version:1 effective from 29-03-2023 for category Modular Work Stations (V2)**

1. After award of contract- Successful bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful bidder shall submit Detailed Design Drawing for Buyers approval within 7 working days of award of contract. Buyer shall either approve the Drawings or will provide complete list of modification required in the drawings within 7 working days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing-the delivery period shall be re-fixed without LD for the period of delay in approval of Drawing.

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum

issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**