

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	08-06-2024 10:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	08-06-2024 10:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Directorate Of Purchase And Stores
Office Name/कार्यालय का नाम	Directorate Of Purchase And Stores
Total Quantity/कुल मात्रा	425
Item Category/मद केटेगरी	Electrical connection Lugs or thimbles (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Electrical connection Lugs or thimbles
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Electrical Connection Lugs Or Thimbles	50

Schedule 2	Electrical Connection Lugs Or Thimbles	250
Schedule 3	Electrical Connection Lugs Or Thimbles	50
Schedule 4	Electrical Connection Lugs Or Thimbles	5
Schedule 5	Electrical Connection Lugs Or Thimbles	10
Schedule 6	Electrical Connection Lugs Or Thimbles	10
Schedule 7	Electrical Connection Lugs Or Thimbles	25
Schedule 8	Electrical Connection Lugs Or Thimbles	25

Electrical Connection Lugs Or Thimbles (50 packet)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Compatible Cable size(Square mm)	2.5
	Maximum operating temperature	50.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Screw
	Material	Copper
	Thickness of metal	2.5 (millimeter)
	Colour of insulation sleeve	red
	Connection Type	Pin Type
	End type	Insulated
Additional info.	Packaging Type	Packet
	Packaging size (Per packet)	100
Certification & Standard	All specs conforming to (Hint-only for copper lugs)	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bendapudi Hemalatha	507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM	50	90

Electrical Connection Lugs Or Thimbles (250 packet)**Technical Specifications/तकनीकी विशिष्टियाँ**

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Compatible Cable size(Square mm)	2.5
	Maximum operating temperature	90.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Screw
	Material	Copper
	Thickness of metal	0.8 (millimeter)
	Colour of insulation sleeve	red
	Connection Type	Fork Type
	End type	Insulated
Additional info.	Packaging Type	Packet
	Packaging size (Per packet)	10
Certification & Standard	All specs conforming to (Hint-only for copper lugs)	IS:1897 *Latest
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	Yes
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bendapudi Hemalatha	507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM	250	90

Electrical Connection Lugs Or Thimbles (50 packet)**Technical Specifications/तकनीकी विशिष्टियाँ**

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Compatible Cable size(Square mm)	1.5
	Maximum operating temperature	50.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Screw
	Material	Copper
	Thickness of metal	0.8 (millimeter)
	Colour of insulation sleeve	red
	Connection Type	Pin Type
	End type	Insulated
Additional info.	Packaging Type	Packet
	Packaging size (Per packet)	100
Certification & Standard	All specs conforming to (Hint-only for copper lugs)	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bendapudi Hemalatha	507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM	50	90

Electrical Connection Lugs Or Thimbles (5 packet)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Compatible Cable size(Square mm)	4
	Maximum operating temperature	70.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Screw
	Material	Copper
	Thickness of metal	1.0 (millimeter)
	Colour of insulation sleeve	yellow

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Connection Type	Pin Type
	End type	Insulated
Additional info.	Packaging Type	Packet
	Packaging size (Per packet)	100
Certification & Standard	All specs conforming to (Hint-only for copper lugs)	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bendapudi Hemalatha	507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM	5	90

Electrical Connection Lugs Or Thimbles (10 packet)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Compatible Cable size(Square mm)	1.5
	Maximum operating temperature	60.0 (degree Celsius)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Screw
	Material	Copper
	Thickness of metal	2.0 (millimeter)
	Colour of insulation sleeve	yellow
	Connection Type	Pin Type
	End type	Insulated
Additional info.	Packaging Type	Packet
	Packaging size (Per packet)	100
Certification & Standard	All specs conforming to (Hint-only for copper lugs)	IS:1897 *Latest
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bendapudi Hemalatha	507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM	10	90

Electrical Connection Lugs Or Thimbles (10 packet)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Compatible Cable size(Square mm)	6
	Maximum operating temperature	70.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Screw
	Material	Copper
	Thickness of metal	1.0 (millimeter)
	Colour of insulation sleeve	yellow
	Connection Type	Pin Type
	End type	Insulated
Additional info.	Packaging Type	Packet
	Packaging size (Per packet)	50
Certification & Standard	All specs conforming to (Hint-only for copper lugs)	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bendapudi Hemalatha	507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM	10	90

Electrical Connection Lugs Or Thimbles (25 packet)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Compatible Cable size(Square mm)	2.5
	Maximum operating temperature	50.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Clamp
	Material	Copper
	Thickness of metal	0.3 (millimeter)
	Colour of insulation sleeve	red
	Connection Type	Pin Type
	End type	Insulated
Additional info.	Packaging Type	Packet
	Packaging size (Per packet)	200
Certification & Standard	All specs conforming to (Hint-only for copper lugs)	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bendapudi Hemalatha	507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM	25	90

Electrical Connection Lugs Or Thimbles (25 packet)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Compatible Cable size(Square mm)	1
	Maximum operating temperature	50.0 (degree Celsius)
	Minimum operating temperature	-10.0 (degree Celsius)
Construction	Connection method	Clamp
	Material	Copper
	Thickness of metal	0.3 (millimeter)
	Colour of insulation sleeve	red
	Connection Type	Pin Type
	End type	Insulated
Additional info.	Packaging Type	Packet
	Packaging size (Per packet)	200
Certification & Standard	All specs conforming to (Hint-only for copper lugs)	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Bendapudi Hemalatha	507116,STORES UNIT, HWP MANUGURU, P.O. GAUTAMINAGAR, ASWAPURAM, KHAMMAM	25	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

TENDER REF. NO.: DPS/RPUM/G2/23054

1) Bidders are required to provide a self-declaration certificate stating their status as manufacturer/trader for the tendered item, along with their bid, failing which their bid will not be considered for MSE purchase preference.

2) Any bidder from a country which shares a land border with India shall be eligible to bid in this tender only if the bidder is registered with the Department for promotion of Industry and Internal Trade (DPIIT). The bidders shall enclose valid registration certificate along with their offer. Wherever the bids are received without accompanying the above said requisite certificate such offers shall be treated as incomplete and not considered. Furthermore, every bidder participating against this Department tender **shall invariably enclose strictly as per our format along with the Bid, a self-declared undertaking “Annexure to Bid Form: Eligibility Declarations (Annexure-XII)”, duly mentioning the tender reference of this office as stated above failing which their bid will be summarily rejected.**

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---
