

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	22-06-2024 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	22-06-2024 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Power Grid Corporation Of India Limited
Organisation Name/संगठन का नाम	Power Grid Corporation Of India Limited
Office Name/कार्यालय का नाम	Corporate Office Gurgaon
Total Quantity/कुल मात्रा	16
Item Category/मद केटेगरी	Single / Double Bed - Wooden - With / Without Box (Q3) (PAC Only) , Foam Mattress (V2) (Q2) (PAC Only) , Steel Tables as per IS 8126 (Q3) (PAC Only) , Revolving Chair (V3) (Q2) (PAC Only)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Single / Double Bed - Wooden - With / Without Box
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	4 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	402402

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : [View Document](#)

Name of Competent Authority	P.P. RAI
Designation of Competent Authority	SGM
Office / Department / Division of Competent Authority	SITE
CA Approval Number	744233
Competent Authority Approval Date	2023-12-27 00:00:00
Brief Description of the Approval Granted by Competent Authority	AS INDICATED IN THE PAC CERTIFICATED BY INDENTING DEPARTMENT.

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered

Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Single / Double Bed - Wooden - With / Without Box (4 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriochocolatequeenbed

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Material of Mattresses Panel	Other wood
	Material of Bottom Panel of Storage Box	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Front, Back and side Panels	MDF Board Conforming To IS:12406(Grade SBG I)
	Material of Headrest	mdf board conforming to is 12406 grade sbg i
	Material of Legrest	mdf board conforming to is 12406 grade sbg i
GENERIC	Type of Bed	Wooden Double Bed
	Material of Bed Frame	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Hydraulic System provided for Opening	No
DIMENSIONS	Mattress Fixing Width ± 10 (mm)	1525
	Thickness of material of Headrest ± 2 (mm)	25
	Overall Height of Legrest ± 5 (mm)	450
	Overall Length of Legrest ± 10 (mm)	1525
COLOUR & FINISHING	Finish	Laminated

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Debatosh Bhowmik	784103,Power Grid Corporation Of India Limited,APCOMP. SCHEME, 400/220/132 KV BALIPARA SUBSTATION, POWERGRID, PO/PS: CHARDUAR, DIST:SONITPUR, ASSAM-784103	4	60

Foam Mattress (V2) (4 pieces) (Under PAC)

Make	godrejinterio
Model	godrejorthoplusqueenmattress5inch

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Dimension	Dimensions (Tolerance ± 15 mm)	1981 mm x 1524 mm
Construction	Number of Layers	Three Layers
	Thickness of Top Layer (± 2 mm)	25 mm
	Thickness of Core Layer 1 (± 2 mm)	75 mm
	Thickness of Core Layer 2 (± 2 mm)	Not Applicable
	Thickness of Bottom Layer (± 2 mm)	25 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Material	Material of Top Layer	PU Foam
	Material of Core Layer 1	PU Bonded Foam
	Material of Core Layer 2	Not Applicable
	Material of Bottom Layer	PU Foam
Quilting Foam	Quilting	One Side Quilting (Single Sided)
Mattress Cover	Fabric Composition	Polyester-Cotton Blended (80:20)
	Construction	Knitted
	Fabric Mass (Minimum)	400 gm/m2
	Flame Resistant Fabric	Not Applicable
Density	Top Layer Density	32 Kg/m3
	Core Layer 1 Density	80 Kg/m3
	Core Layer 2 Density	Not Applicable
	Bottom Layer Density	32 Kg/m3
Compression Set	Compression Set for PU Foam (non quilting) as per IS 7888 1976 (Max)	10%
Durability/Resistance to Flexing	Durability Test for Complete Mattress	loss of height not more than 13 mm (as per ASTM 1566)
Warranty	Warranty (In Years)	1, 2, 3, 4, 5 Or higher

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Debatosh Bhowmik	784103,Power Grid Corporation Of India Limited,APCOMP. SCHEME, 400/220/132 KV BALIPARA SUBSTATION, POWERGRID, PO/PS: CHARDUAR, DIST:SONITPUR, ASSAM-784103	4	60

Steel Tables As Per IS 8126 (4 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriot-8table

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage	one side
	Total Number of Storage Units	triple storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	Table Top Length +/-10(mm)	1205.0 (millimeter)
	Table Top Width +/-10(mm)	600.0 (millimeter)
	Table Height +/-5(mm)	735.0 (millimeter)
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/-10(mm)	550.0 (millimeter)
	Width of Locker / Cupboard type Storage unit	355 mm
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	YES
WARRANTY	Warranty in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Debatosh Bhowmik	784103,Power Grid Corporation Of India Limited,APCOMP. SCHEME, 400/220/132 KV BALIPARA SUBSTATION, POWERGRID, PO/PS: CHARDUAR, DIST:SONITPUR, ASSAM-784103	4	60

Revolving Chair (V3) (4 pieces) (Under PAC)

Make	godrejinterio
Model	apogodrejinteriobravomidbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Any position Locking, Tilt limiter, Upright locking, No Locking (Fixed type)
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Glass Fiber Nylon, Mild Steel, Stainless Steel, Aluminium die Cast, Wooden clad with Mild Steel, Nylon, Chrome
	Armrest Material	Thermoplastic elastomers, PU molded over plastic inner, PU molded over metal insert, MS Arms with ABS arm top, No armrest
	Minimum density of foam used in seat	30 kg per cubic meter, 50 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm, 50 mm

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat upholstery material	100 % Polyester fabric
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	Memory foam, PU foam, NA
	The minimum density of foam used in the backrest	30 kg per cubic meter, NA
	Minimum thickness of PU foam used in backrest	30 mm, 45 mm, NA
	Backrest upholstery material	100 % Polyester fabric
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette), Minimum 200 GSM (for Woven fabric)
DIMENSION	Minimum width of seat	400 mm, 450 mm, 500 mm
	Minimum depth of seat	400 mm, 450 mm
	Minimum width of backrest	400 mm, 450 mm
	Backrest height	Low back (350 to 450 mm), Mid back (451 to 550 mm), High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm, 3 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black, Brown, Blue, Grey, Maroon
	Upholstered material backrest color	Black, Brown, Blue, Grey, Maroon

Additional Specification Parameters - Revolving Chair (V3) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Locking Mechanism	YES
Armrest Material Pedestal Base	Polypropylene, Glass Fiber Nylon
Minimum Density Of Foam Used In Seat Minimum Width Of Seat Minimum Depth Of Seat	45, 460mm, 480mm

Specification Parameter Name	Bid Requirement (Allowed Values)
Minimum Thickness Of PU Foam Used In Seat Minimum Width Of Backrest Backrest Height	45, 520 mm, 550mm
The Minimum Density Of Foam Used In The Backrest Minimum Thickness Of PU Foam Used In Backrest Minimum Thickness Of MS Plate Joining The Understructure With Seat	45, 45, 3 mm

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Debatosh Bhowmik	784103,Power Grid Corporation Of India Limited,APCOMP. SCHEME, 400/220/132 KV BALIPARA SUBSTATION, POWERGRID, PO/PS: CHARDUAR, DIST:SONITPUR, ASSAM-784103	4	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---