

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	12-06-2024 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	12-06-2024 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Odisha
Department Name/विभाग का नाम	Home Department Odisha
Organisation Name/संगठन का नाम	Odisha Police
Office Name/कार्यालय का नाम	State Police Headquarters
Total Quantity/कुल मात्रा	6
Item Category/मद केटेगरी	Explosives / Narcotics Trace Detector (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	81 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	648 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %

Bid Details/बिड विवरण	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	5 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	324000

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	26

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

AIG of Police (Provisioning), Odisha, Cuttack.  
State Police Headquarters, Home Department Odisha, Odisha Police , Cuttack.  
(Prasanta Kumar Nayak)

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

**Explosives / Narcotics Trace Detector ( 6 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
TYPE / PERFORMANCE / SAFETY	Type	Benchtop, Handheld
	Technology	Automated Colorimetrics, Ion Mobility Spectrometry (IMS), Raman Spectroscopy, FTIR Spectroscopy, Integrated FTIR and Raman Spectroscopy, Amplified Fluorescent Polymer (AFP)
	Detector Source - RadiationType	Non-Radioactive, Radioactive
	Detection modes	Explosives, Narcotics, Both Explosives & Narcotics
	Sample collection/Acquisition	Swipe- Card, Surface Wipes, Particulates, Particles and Vapours, Dipstick tracking trace particles, Point and Shoot
	Each Sample collector uniquely bar coded	Yes, No
	Number of Sample Collectors such as Swipe-Cards/Detector Cards/Surface Wipes/Sampling Swabs/Traps/Paper supplied	200, 400, 600, 800, 1000, NA
	Types of Explosives Detected	Nitroaromatics (TNT, TNB, DNT, DNB, Tetryl), Nitramines (Pyrodex / Triple 8, Gunpowder, Nitroglycerin), Nitrate Esters (HMX, RDX, PETN, SEMTEX, EGDN, C4, NG, Smokeless Powders), Inorganic Nitrates (Ammonium Nitrate, Urea Nitrate, Potassium Nitrate), Chlorates (Sodium Chlorate, Potassium Chlorate), Peroxides (TATP, HMTD), Perchlorates, NA
	Types of Drugs /Narcotics Detected	Methamphetamine, Cocaine, THC- Marijuana, Opiates, Synthetic Cannabinoids, Ketamine, Heroin, NA
	Analysis / Detection time	10, 90, 120, 150, 180, 210, 240 Or lower <b>(second)</b>
	Warm-up Time (Cold start) (Maximum)	0.25, 1, 5, 10, 20, 30 <b>(minute)</b>
	Bakeout Time/ Time betweenTwo Successive Tests(MINUTES)	< 1, < 5, < 15, < 30
	IP Protection	IP 54, IP 65, IP 67, IP 68
	Radiation Hazard during Testing	Yes, No
	Availability of Radiation Safe Certificate	Yes, NA
DISPLAY / STORAGE / CONNECTIVITY	Type of Display	COLOR LCD, COLOR TFT, Tochscreen LCD, Touchscreen TFT
	Test result printing	Through inbuilt Printer, Through external printer
	If inbuilt printer, Type of printer	Thermal printer, Dot matrix, Laser b/w, Inkjet b/w, Color laser, Color inkjet, N/A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Date / time Stamp in Entries	Yes, No
GENERIC	Weight	< 250 g (for Handheld), < 500 g (for Handheld), < 1000 g (for Handheld), < 2000 g (for Handheld), < 30 kg (for Benchtop)
OPERATING CONDITION	Minimum Operating temperature	-5, -10, -20, 0, 10, 20 Or lower <b>(degree Celsius)</b>
	Maximum Operating temperature	35, 40, 45, 50, 60, 70 Or higher <b>(degree Celsius)</b>
	Operating humidity at 40 deg C	80, 85, 90, 95 <b>(percent)</b>
WARRANTY	Warranty	2.0, 3.0, 5.0 <b>(year)</b>
CERTIFICATION	Conformity to Dust test as per:	MIL-STD-810 F, MIL-STD-810 G, NA
	Conformity to Vibration test as per:	MIL-STD-810 F, MIL-STD-810 G, NA
	Conformity to Shock test as per:	MIL-STD-810 F, MIL-STD-810 G, NA
	Conformity to Water Intrusion test as per:	MIL-STD-810 F, MIL-STD-810 G, NA
	Conformity to Conformity to Salt test as per:	MIL-STD-810 F, MIL-STD-810 G, NA
	Conformity to Rain test as per:	MIL-STD-810 F, MIL-STD-810 G, NA
	Conformity to Altitude test as per:	MIL-STD-810 F, MIL-STD-810 G, NA
	Availability of Test Reports from Central Govt/ NABL/ILAC accredited lab to prove conformity to the Specifications	Yes, No

#### Additional Specification Parameters - Explosives / Narcotics Trace Detector ( 6 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Detection Technology	Ion Mobility Spectrometry (IMS) or Amplifying Fluorescent Polymer (AFP) or Mass Spectrometry (MS), QCM sensors or any better technology

Specification Parameter Name	Bid Requirement (Allowed Values)
Detection Capacity	The detector should be able to detect minimum explosive, explosive precursors as listed in below- TNT, Tetryl, RDX, C4, PETN, Dynamite, Semtex, HMX, Nitroglycerine, Ammonium nitrate, and others, with programmable detection capability.
Sample Collection Mode	Trace particle mode, vapor sniffing mode
Auto Calibration	Adjustment/resetting for further operation should be automatic as well as manual. Max time for auto calibration should not exceed 30 sec
Consumables	Consumables for swab should be with high availability and low cost Available locally in stores without dependency on supply from the detector manufacturer. Should be commercially available.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Prana Kishore Baskey	753001, STATE POLICE HEADQUARTERS, BUXI BAZAR, CUTTACK	6	60

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Additional [Specifications:-](#)

Operational Temperature	0°C to 50°C or better
Relative Humidity	Humidity up to 95% non-condensing.
Selectivity/False alarm rate	The offered equipment shall have false alarm rate less than 2 %.
Sensitivity	Low nanogram (ng) range, Vapor: Low parts per billion (ppb) range or better
Detection Range	The Explosive Trace & Vapour Detector shall detect the presence of small quantities of explosive by analysing the explosive vapour available in the container/bag etc. and outside in open in bulk
Operational Weight	Less than 4 kgs
Safety Ionization Source	Ionization source should be non-radioactive environment friendly.
Initial Warm up Time	Less than 2 minutes

Analysis Time	7-15 seconds or less
Power	(a) Should operate on AC mains 100 - 240 volts, 50 - 60 Hz/1 A (b) Should operate with rechargeable lithium-Ion batteries. (c) Operational time. Each battery should allow minimum operation time of (i) 04 hours in vapour mode. (ii) 02 hours in particle mode (d) Spare battery to be provided. (e) Battery to be commercially available in the market. (f) Battery should have warranty of min 2 years. (g) Full battery charging time to be max 90 minutes. (There should be provision to charge all op batteries simultaneously in one charger). (h) The system should allow HOT SWAP between batteries without turning off the system, if possible. (j) Reverse polarity protection to be provided
Battery Charger	(a) 180-240 V AC battery charger to be provided with short circuit protection. Charger should have battery charging status indicator. Battery charger to be capable of charging all the batteries required for operation of the eqpt at a single time. (b) Solar battery charger to be provided with the eqpt capable of charging all the batteries required for operation of the eqpt at a single time. ( c ) Compatible DC Charger to be provided with the eqpt capable of charging all the batteries required for operation of the eqpt at a single time.
Display	Equipment should have a full colored LED/LCD display. Equipment should display following details: (a) Type of explosive on detection. (b) System on/off. (c) Status of system calibration. (d) Mode of detection. (e) Low Battery Indicator: - Eqpt should indicate low battery when the eqpt battery reaches 25 percent by visual means, audio means and vibrational means. (f) Any other function of the equipment.
Self-Cleaning Time	Not more than 120 seconds
Electromagnetic Interference	Operations should electromagnetic not be interference affected of other electronic/magnetic devices.
Enclosure IP Class	Equipment must have weatherproof casing with IP 54 compliance for outdoor applications
Indication	Equipment should give detection alarm by audio, visual and vibrational means. Facilities should be provided alarm means, to give alarm by any two means.
Data Transfer	(a) Equipment should have either of the following USB port or Bluetooth data transfer or WIFI or Ethernet to transfer the data. (b) System should have feature to upgrade the data base for future threats
Database	System database/library of explosive should be upgradable and extendable at user level.
Portability	(a) Equipment should be handheld one man portable. (b) It should fit into one carrying case and should come with a soft carry case with sling for long operation. (c) The carry case shall be a lightweight Mil Std. 810 H compatible
Versatility	Equipment should be rugged for security use and should be able to function correctly in all-weather conditions present in India.
Ease of operation	Results given by the detector/equipment should be self-explanatory and should not require any reference.
IP	IP 54 or more
Training	(a) OEM to provide operational training to Bomb technicians/ individuals for a week. (b) OEM to provide user level maintenance training to Bomb technicians/ individuals.

Warranty	Should include a two-year or more warranty covering parts and labor.
Manual	(a) OEM to provide a user manual. (b) OEM to provide maintenance manuals.
Tools	(a) OEM to provide tool kit to carryout repair of the eqpt at user level (List of tools to be furnished by OEM) (b) OEM to provide cleaning tool kit required for the equipment (List of tools to be furnished by OEM)
Carrying Case	(a) Should be hard, strong, rugged light weight and waterproof. Should comply Mil Std 810 H and IP 65 or better. (b) Carrying case should have provisions for carrying accessories and consumables. (c) It should have provision for wearing by the operator
Accessories	(a) Carrying case. One per equipment. (b) Compatible Battery charger. One per equipment. (c) Test Samples. Nos. to be specified at the time of tendering. (d) Spare Battery. Nos. to be specified by the user at the time of tendering. (e) User Handbook. One per equipment (English). (f) Tech Service Manual. One per equipment (English). (g) Manufacturers list of recommended spares duly priced.

**Pre-Bid Interaction Date and Time:-**

The Prospective bidders are requested to submit their queries relating to the specifications of the tendered /bid item through mail id aigprov.odpol@gov.in by 27.05.2024 by 05:00 PM. The queries will not be considered after the stipulated time period. In this connection, a pre-bid technical committee will be held in virtual mode. The date and time for the meeting will be send through mail.

**Additional Term and Condition:-**

1. The bidder must submit ITR last three years.
- 2-The bidders are requested to submit EMD / e-BG as per bid requirement in term of electronics Bank Guarantee quoting Unique Identification Number (UIN) " NCOGD2383P " with NeSL while applying eBG from their respective Banks.
3. Bidder Average annual turnover should not less than 3 Cr 24 lakhs instead of 81 Lakhs

**Manufacturer's Authorization Form (MAF)**  
**(To be submitted on OEM Letterhead)**

Ref. No. \_\_\_\_\_ Dated \_\_\_\_\_

To

The A.I.G. of Police (Provisioning),  
Odisha, Cuttack.

Dear Sir,

Tender Reference No./ NIT /GeM Bid No. : \_\_\_\_\_

**Name of the item:**



We M/s. \_\_\_\_\_ who are established and reputable manufacturers of

\_\_\_\_\_ do hereby authorize M/s. \_\_\_\_\_ (Name and address of Agent / Dealer) to participate in the above tender.

We hereby extend our technical assistance to the bidder during installation and inspection of the product.

We hereby certify that, the equipments being sold would not be declared End of Support (EoS) or become obsolete in the next 5 years. Also, we certify that the products being sold would be covered under Warranty / Support and OEM support will be available for \_\_\_\_ years( as specified in the GeM Bid / Tender / NIT No.) from the date of installation, even in the case, the bidder becomes "Out of service".

We have studied the requirements of the product and confirm that we will adhere to the specifications of the tender and quality plan and extend all support during the inspection and provide documentary evidence at the time of inspection for the verification by Client/Client's representative.

Yours faithfully

(Name)

For and on behalf of M/s. \_\_\_\_\_

(Name of manufacturers)

## 2. Inspection

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

No

Post Receipt Inspection at consignee site before acceptance of stores:

Yes

## 3. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand

or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

#### 4. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 5. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 6. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

#### 7. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 8. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

#### 9. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

AIG of Police (Provisioning), Odisha, Cuttack.

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

#### 10. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent

Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**