

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	14-06-2024 14:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	14-06-2024 14:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	150 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Pmo
<b>Department Name/विभाग का नाम</b>	Department Of Atomic Energy
<b>Organisation Name/संगठन का नाम</b>	Directorate Of Purchase And Stores
<b>Office Name/कार्यालय का नाम</b>	Directorate Of Purchase And Stores
<b>Total Quantity/कुल मात्रा</b>	730
<b>Item Category/मद केटेगरी</b>	Ball Bearings as per IS 6455 (Q3) , Tapered roller bearing (Q3) , Cylindrical Roller Bearing as per IS 6455 (Q3)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Ball Bearings as per IS 6455
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	19

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

THE REGIONAL DIRECTOR,P&S ON BEHALF OF THE PRESIDENT OF INDIA

1)FOR PSD DD BENEFICIARY: "PAY AND ACCOUNTS OFFICER, NFC,HYDERABAD " 2)FOR PSD BG BENEFICIARY: "THE REGIONAL DIRECTOR P&S ON BEHALF OF THE PRESIDENT OF INDIA Directorate of Purchase & Stores, Department of Atomic Energy, Nuclear Fuel Complex, HRPU, ECIL POST,HYDERABAD-500062" (File No A3/488)

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

## Ball Bearings As Per IS 6455 ( 320 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	<b>Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987</b>	6208ZZ(40*80*18)
	<b>Bearing cage material as per IS 2398</b>	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	<b>Radial internal clearance in ball bearing as per IS 6455-1972</b>	C0
	<b>Closure</b>	Shield(Z) Open
	<b>Protecting device/ closure</b>	One sided
	<b>Material of lubricated Sea</b>	Polymer
	<b>Material of lubricated Shield</b>	Low Carbon Press Steel

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	320	150

### **Ball Bearings As Per IS 6455 ( 20 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	<b>Type of ball Bearing</b>	DEEP GROOVE
	<b>Number of Row in ball bearing</b>	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	<b>Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987</b>	6222(110*200*38)
	<b>Bearing cage material as per IS 2398</b>	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	<b>Radial internal clearance in ball bearing as per IS 6455-1972</b>	C0
	<b>Closure</b>	Shield(Z) Open
	<b>Protecting device/ closure</b>	Both sided
	<b>Material of lubricated Sea</b>	NA
	<b>Material of lubricated Shield</b>	NA

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	20	150

### **Ball Bearings As Per IS 6455 ( 80 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	<b>Type of ball Bearing</b>	DEEP GROOVE
	<b>Number of Row in ball bearing</b>	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	<b>Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987</b>	6304(20*52*15)
	<b>Bearing cage material as per IS 2398</b>	Stainless Steel 304 strip
	<b>Radial internal clearance in ball bearing as per IS 6455-1972</b>	C0
	<b>Closure</b>	Open
	<b>Protecting device/ closure</b>	NA
	<b>Material of lubricated Sea</b>	NA
	<b>Material of lubricated Shield</b>	NA

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	80	150

### Ball Bearings As Per IS 6455 ( 100 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	<b>Type of ball Bearing</b>	DEEP GROOVE
	<b>Number of Row in ball bearing</b>	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	<b>Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987</b>	6305(25*62*17)
	<b>Bearing cage material as per IS 2398</b>	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	<b>Radial internal clearance in ball bearing as per IS 6455-1972</b>	C0
	<b>Closure</b>	Open
	<b>Protecting device/ closure</b>	NA
	<b>Material of lubricated Sea</b>	NA
	<b>Material of lubricated Shield</b>	NA

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	100	150

### **Ball Bearings As Per IS 6455 ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	<b>Type of ball Bearing</b>	DEEP GROOVE
	<b>Number of Row in ball bearing</b>	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	<b>Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987</b>	6306(30*72*19)
	<b>Bearing cage material as per IS 2398</b>	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	<b>Radial internal clearance in ball bearing as per IS 6455-1972</b>	C3
	<b>Closure</b>	Open
	<b>Protecting device/ closure</b>	Open
	<b>Material of lubricated Sea</b>	NA
	<b>Material of lubricated Shield</b>	NA

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	10	150

### Ball Bearings As Per IS 6455 ( 130 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	<b>Type of ball Bearing</b>	DEEP GROOVE
	<b>Number of Row in ball bearing</b>	One



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	<b>Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987</b>	6308(40*90*23)
	<b>Bearing cage material as per IS 2398</b>	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	<b>Radial internal clearance in ball bearing as per IS 6455-1972</b>	C0
	<b>Closure</b>	Contact seal(RS)
	<b>Protecting device/ closure</b>	Both sided
	<b>Material of lubricated Sea</b>	Rubber
	<b>Material of lubricated Shield</b>	Low Carbon Press Steel

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	130	150

### **Tapered Roller Bearing ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

**Additional Specification Parameters - Tapered Roller Bearing ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Type of Roller Bearing & No. of Row	Tapered Roller Bearing & Single Row
Bearing Description as per IS 7461-1993 and bore dimension ( Inner Dia x Outer Dia)	4T 30206 / 30206 (30mm x 62mm)
Bearing Cage Material	Steel or Brass
Bore type and End Type	Cylindrical and Open
Conformity to IS	IS 12102-1987 or IS 14691-1999 / Latest

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	10	150

**Cylindrical Roller Bearing As Per IS 6455 ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Cylindrical Roller Bearing	spherical outside surface
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	N316
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Radial internal clearance in ball bearing as per IS 6455-1972	C3

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	10	150

### Cylindrical Roller Bearing As Per IS 6455 ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Cylindrical Roller Bearing	Angular contact
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	N 319
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	10	150

**Cylindrical Roller Bearing As Per IS 6455 ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Cylindrical Roller Bearing	Radial contact
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	NU-309 (45*100*25)
	Bearing cage material as per IS 2398	M: Cage, bronze or brass, not in sheet, strip or wire form, centered by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	10	150

### Cylindrical Roller Bearing As Per IS 6455 ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Cylindrical Roller Bearing	Angular contact
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	NU-318(90*190*43)
	Bearing cage material as per IS 2398	M: Cage, bronze or brass, not in sheet, strip or wire form, centered by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	10	150

### Cylindrical Roller Bearing As Per IS 6455 ( 20 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Cylindrical Roller Bearing	Angular contact
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	NU-319(95*200*45)
	Bearing cage material as per IS 2398	M: Cage, bronze or brass, not in sheet, strip or wire form, centered by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kashibhotla Lakshmi Narasimha Rao	500062,HRPSU, NFC, P.O. ECIL,	20	150

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**2. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 3. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### 4. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

PAY AND ACCOUNTS OFFICER,NFC  
payable at  
HYDERABAD

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

### 5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### 6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

#### IMPORTANT NOTES FOR BIDDERS:

**1)MAKE IN INDIA Declaration:** As per 'Make In India' policy, All bidders must furnish percentage of the local content (Duly signed and stamped as per the MAKE IN INDIA certificate format attached below in buyer added bid specific ATC document) , failing which offer will be summarily rejected.

**2)'LAND BORDER CERTIFICATE' :** All Bidders shall furnish 'Land border certificate' enclosed herewith (Duly signed and stamped as per the 'LAND BORDER CERTIFICATE' format attached below in buyer added bid specific ATC document, failing which offer will be summarily rejected.

**3)PERFORMANCE SECURITY DEPOSIT:** SHALL BE SUBMITTED AT THE FOLLOWING ADDRESS WITHIN 15 DAYS FROM DATE OF PLACEMENT OF CONTRACT : ASSISTANT PURCHASE OFFICER, A3 -SECTION ,Hyderabad Regional Purchase Unit, DPS, 1 ST FLOOR,AADHAR BUILDING , Nuclear Fuel Complex, Hyderabad-500062 .

#### FOR PSD BG BENEFICIARY is:

"THE REGIONAL DIRECTOR P&S ON BEHALF OF THE PRESIDENT OF INDIA

Directorate of Purchase & Stores, Department of Atomic Energy,

Nuclear Fuel Complex,

HRPU, ECIL POST,HYDERABAD-500062"

**4.NOTE:** On placement of contract, seller has to upload soft copy of PSDBG at GeM portal and shall submit original hard copy of the same to the buyer, however within 15 days from the date of release of contract, fa

iling which incident as per GeM terms and conditions shall be raised.

#### **5.DELIVERY INSTRUCTIONS:**

a) Stores are to be delivered to the Store Keeper (Receipt and Inspection) at the place of delivery stipulated in the Contract between 10.30 a.m. and 3.00 p.m. on working days.

b) No stores shall be accepted by the Store keeper (Receipt and Inspection) unless delivery challan giving full details of the Contract Number and Date and Description of Stores, Quantity, Make, Unit, Gross Weight Tare Weight are submitted with the stores. In the absence of any of the above, the Store Keeper (Receipt and Inspection) shall refuse to take delivery of the stores. The supplier should submit the warranty/ guarantee card/certificate along with the Delivery Challan in whichever case it is applicable while effecting delivery of item.

c) A receipt for the packages only and not for the contents will be given by our Central Stores initially. The Suppliers are advised to properly seal the package. Final receipt will be given from the Central Stores, after inspection.

Driver's Note: The drivers, while bringing the material in motor vehicles

into our premises, shall carry their respective original driving license

to facilitate security checks properly before entering

inside our premises without any delay. In case the contractor is

unable to deliver the goods within

the delivery schedule stipulated in this Contract,

it is mandatory on his part to approach the purchaser

for extension of the delivery date with justification for

the delay for consideration of the purchaser. The contractor

should deliver the goods only after getting the delivery

period extended by the purchaser.

In case the contractor fails to adhere to this condition

and deliver the goods to the consignee after expiry

of the delivery date without getting the delivery period

extended, it is only that the consignee will not

receive the goods dispatched by the suppliers but

the bills if any furnished by the contractor

will be rejected without any liability and obligation

on the part of the Purchaser. This will not in any way prejudice

the other rights of the purchaser under the terms

and conditions of the Contract.

All the bearings shall conform to relevant IS standard.

The bearing number is mentioned in the item description. Bidders are requested to quote for the required bearing or their equivalent indicating make & model no of the offered bearing. The bidders



mentioning additional suffix (or prefix) apart from the tendered item description, should also describe the meaning of it and the same shall be indicated in their offer.

All the bearings shall be of Steel/Brass Cage only. Bidders offering bearing of other cage material will not be acceptable. Bidders shall indicate the cage material in remarks column of their offer.

#### **Vendor Evaluation Criteria (VEC)**

Offers shall be considered only from Indian manufacturer or their authorized Dealers.

In case offer received from dealers, they shall submit a valid dealership certificate from their manufacturer only without which their offer will not be considered.

Sub-dealership / sub-authorization will not be considered

#### **Item Acceptance Criteria (IAC)**

The successful bidder have to submit test reports & certificates from manufacturer or from Central Government/NABL accredited laboratories confirming to Indian standard at the time of supplies. The firms shall submit the acceptance in their tender.

The supplier shall submit a warranty certificate for minimum 12 months from manufacturer.

The warranty shall start from the date of receipt of material at NFC stores.

Acceptance of material is subject to verification of make & model furnished by the bidder and meeting of specifications of the tendered item. NFC reserves the right to test the material at its own facility or by its authorized agency before the final acceptance of material. The testing of materials by NFC or its authorized agency is final and binding for acceptance of the material.

#### **Delivery Schedule**

The material shall be supplied to Central Stores, Nuclear Fuel Complex, ECIL Post office, Moula- Ali, Hyderabad- 500062, Telangana (India).

Supplies shall be made within 150 days from the date of placement of purchase order to stores at NFC, Hyderabad.

#### **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**